





Next Date

1905 ~~1915~~

1920





Digitized by the Internet Archive  
in 2017 with funding from  
CLIR

[https://archive.org/details/nestdata00cohe\\_0](https://archive.org/details/nestdata00cohe_0)

1905

1. Mar 21. W. Redtail. Bird seen on nest about 65 ft. up in big sycamore in creek ravine by Mission Peak. She staid near while we spent over an hour trying to lasso first limb & eating lunch.
2. Mar 21. Gold. Eagle. Old nest found, described by C. R. Keys. 40 ft up in sycamore by Mission Peak. It was almost blown down & much of it missing. Keys got set in 1903. In 1904 Finley & Bohlman photod. the eggs & young. I found the "alternate" nest further down the gulch in an easy oak. No birds about & it was probably rifled by two young collectors here whom R. H. Beck says he met. Finley wrote me that one day they met 3 men who said they'd shoot any one taking eggs on their land, & that they were laying for a --- named Beck who used to rob an eagles' nest.
3. Mar. 25. Am. Barn owl. An egg on ground under cypress opposite tennis court. This is an extremely thickly wooded tree & pair of owls roost here.
4. Apr. 9. R.S. Flicker. Excavating the dead stub of live oak on hill to Prairie Falcon nest.
5. Apr. 9. Cal. Jay. Almost completed. In small oak on trail to Prairie Falcon nest.

1905

6. Apr. 9. Prairie Falcon. Bird flushed from original nest. We worked this ledge carefully without finding anything. Birds not making any fuss. Probably robbed by some one like 1904.
7. Apr. 9. Duck Hawk. One bird only & she was twice flushed by pistol shots from rock nest (west) of one she nested in in 1904. Careful investigation failed to disclose her nest & we worked every place hereabouts thoroughly. Bird was rather demonstrative. We found footprints in the soft ground between this ledge of rocks & the glen this side of the second Prairie ledge & my impression is they were made by a bird & man & made recently.
8. Apr. 9. T. Vulture. No birds flushed by falling debris from above & after spending so much time on #7 we had none left.
9. Apr. 23. Cal. Jay. 5, large imm. 30 ft. up most in Edith's lot & hard to reach. Trails of kids under all the trees & I decided this was a new nest owing to backward cold & wet season, & decided to tear it down & was surprised to find eggs. 1905
10. Apr. 23. C. B. Tit 25 ft. up & inaccessible, in big oak on fence opp. Palmers.
11. Apr. 23. C. B. Tit. Ready for eggs. 7 ft up in small oak near corner & centre pasture. Stolen about week later.

1905

2. Apr. 23. Cal. Jay. 55 up in top of big oak N.W. cor. of grain. May 6 Young just about able to leave were flushed by one of Douglas' gang. They escaped from me that ave & were found OK next morning after heavy rain that night that did lots of damage to y. poultry.
13. May 7. C. B. Tit. In crooked oak in centre of grain field. Empty.
14. May 7. C. B. Tit. 8 ft. in 1 stemmed malva in Morgensterns. 4 eggs. May 6, no change - deserted.
14. May 7. West. Flycatcher. 1 egg. May 6 4 eggs. On 2 pieces of dislodged plaster fallen onto end of tin sheathing of steam pipe by laundry, in ruins. 05
15. May 7. Ov. Towhee.Flushed ♀. First building material placed in hollow she had made. Under briars betw. the two quail oak. No further work done.
6. May 2. Cal. Jay. Almost done. In one of two even sized oaks west from N.W. cor. of yards. No further work done. No birds present when examined.
7. May 7. C. Partridge. 2 eggs. Under briars, under big oak at left side of back road. This was abandoned as it was.
18. May 8. Cal. Towhee. 20 ft up in cypress opp. tennis & 25 ft out. One of Douglas' gang got it for me on 9th with 4 eggs. 2/405
19. May 8. Cal. Partr. 14 fresh. Found by Alfred by tennis court wire. 1/1605

1905

20. May 8. Or. Towhee. 1 dead bird in deserted nest  
in briars 3 ft. up in brush lot. after heavy rains.
21. May 8. Cal. Towhee. 1 inf. egg. Young probably  
killed by heavy rains.
22. May 8. Cal. Towhee. New. 2 ft. up in briar  
in brush lot N. of periwinkles. Something destroyed it.
23. May 9. Park. Wren. 5 fresh & 1 broken.  
Taken by Douglas & pal. from Sparrow hollow  
of oak by orchard gas. house. 1/5 05
24. May 12. Cal. Partr. 3 eggs in bark shreds nest  
of Or. Towhee in cypress in back field 8 ft up.  
Found nest torn up & no sign of egg shells on ground  
week later.
25. May 12. Cal. Jay. In pine behind yards.  
didn't investigate it again.
26. May 13. Cal. Partr. 20 eggs. Under light  
brush of cypress trimmings by F. V. gate.  
Found by Calvin Smith. 2/2005
27. May 13. Cal. Partr. 1/2 begun. In grass &  
briar close to wire fence under oak S. W. of yards  
Found by Calvin Smith. 3/17 05
28. May 13. Cal. Partr. one at random at E  
edge of plum orchard. Found by Emilie.
29. May 14. Anna Hummer. 2 small  
young 11 ft up in usual cypress N. of old  
Summer house. Photo. by Kessing.

1905

- twice in 1 day. Birds pointing E & W in respective positions, evidently to get the sun on their backs.
30. May 14. C. B. Tit.  $\frac{3}{4}$  done. 12 ft up in oak west side of tennis. Someone took it later.
31. May 14. C. B. Tit. Done. 10 ft. up in oak by 1st expresses going west on N. Shell road. Didn't investigate this later.
32. May 14. Cal. Jay. Begun & abandoned without lining in brars & oak branches. Further quit out.
33. May 14. Cal. Jay. In buck thorn. Same remarks.

May 21st worked upstream on east bank of Hazards creek from Petersens to first house on west bank. Heavy rains on May 1st & night of May 6 killed lots of young & caused many eggs to be abandoned. With T. E. N.

34. Allen's Hummer 2 ad. Edge of creek, 4 ft. up in briarrunner. ♀ later, field mark 1

35. field mark 2

37. field mark 7. Yellow Warbler  $\frac{n/3}{n/3} \frac{4}{5}$ . 5 ft. up in sprouts of willow sticks set along edge of creek.

38. field mark 3. R. b. Thrush. H Incub  $\frac{1}{3} \frac{1/4}{05}$  6 ft. up in cottonwood brush under big willows.

1905 May 21, Haywards Creek

39. C. B. Tit. 3 fresh. 8 ft. up in willow brush.  
Nest almost dislodged. Field mark 4.  $\frac{1}{3} 05$
40. W. Goldfinch <sup>mp.</sup> fresh. 10 ft. up in top of  
willow sapling near the bank. Field marks.
41. House Finch 5                    6 ft. up in willow sapling  
Field mark 6.
42. B. h. Grosbeak. Beakkey for this species. 13 or 14  
ft. over water in inclining willow. No way  
in which to obtain it without desecration to contents.  
This was on west bank.
43. Al. Hummer. ♀ on 1 fresh egg. 6 ft. over  
margin of creek, in b. runner. Obtained up May 28.
44. W. Goldf. 1 egg.
45. Ho. Finch 5                    5 ft. up in willow &  
German ivy. Of usual material. Field mark 7.
46. Sam. Song Sp. Deserted, 3 eggs & 4th broken  
<sup>field mark 8</sup> Egg slate & rotten, dropped in blowing  
& leaves in nest. 5 ft. up in cottonwood sprouts  
from at cut off sapling leaning at an angle  
of about  $60^{\circ}$  toward creek. 5 ft. over water.
47. B. h. Grosbeak. 3 slate & deserted. Nest full of  
<sup>field mark 9</sup> dead leaves. 8 ft. over edge of bank in crossed b.  
runners. An unusual situation for species.
48. Ho. Finch. 5 Slight. 6 ft. up in briars. Field mark <sup>10</sup>

3/5  
05

1905 May 21. Haywards Creek

49. R. b. Thrush. Almost ready for eggs.
50. Sam. Song Spar. New nest contained dead leaves.
51. W. Gold. 5 well adv. Left them.
52. Ho. Finch. 4, slight. 5 ft. up against willow  
about  $3\frac{1}{2}$  in. in diam. & supported by briars.  
<sup>Field mark 11</sup>
53. R. G. Thrush. 3 2 ft. up, in top of small  
cottonwood sprouts.
54. W. Goldfinch 5 well adv. Left. 4 ft up in  
small cottonwood sapling.
55. W. Gold. 4 highly incib. Left.
56. Ho. Finch. ♂, slight. 5 ft. up in briars. <sup>2/5</sup> Field  
mark 12
57. R. b. Thrush 4,  $\frac{1}{4}$  inc. 6 ft. up in briars. <sup>2/4</sup> Do. 13
58. B. h. Grosb. young just out. & very vociferous.  
In brushy situation. June 4 nothing in nest.
59. C. B. Tit. Hfresh left for future  
Same state week later.
60. Sam. Song. Sp. young.
61. Ho. Finch <sup>1/2 yd</sup> 6 ft up, in tough vine,  
under willows. Remained with green willow  
leaves. Field mark 14.
62. Sam. Song Sp. 3 5 ft. up in briars at  
edge of creek. Field mark 15.
63. R. b. Thrush 4 8 ft. over margin of creek  
in outside of willow & cottonwood. Field mark 16.
- 
64. Cal. Towhee  $\frac{1}{3}$  & ♀. 10 ft up, in willow, <sup>part big bridge</sup>  
brush with long briars intermingled. Field mark 17

1905 May 21. Hayward's Creek

65. C. B. Tit 6 10 ft. over edge of bank  
on a large long b. runner, the outside one of  
quite a few hanging from willows. Field mark 18.
66. C. B. Tit 14 eggs, chick. burnt. Field mark 19.  
The fresh eggs were on a new "flooring" over the  
old ones. 20 ft. above creek & about 10 ft in  
brush. In briars growing from good sized  
willows. ~~705~~ 14 9 eggs saved
67. Sam. Song Sparrow. New.
68. R. b. Thrush New.
69. R. b. Thrush 5 6 ft 7 in. over water  
to river. Nest on  $1\frac{1}{2}$  ft of drift lodged in vine  
& water beaten cottonwood boughs. About 7  
ft from bank. Field mark 20. To F. E. N.

Downstream - West bank.

70. Al. Hum.  $\frac{1}{2}$  & ♀ 6 ft over clean  
bank, in cottonwood, shady location. On  
a small bunch of drift on a slender <sup>n/2<sup>os</sup></sup> branch  
& 1 dead twig for further support. Field mark 21
71. R. b. Thrush new.
72. W. Gold. 4 adv. Left.
73. Ho. Finch 4,  $4\frac{3}{4}$  ft, in briars. Field mark 22
74. R. b. Thrush 3. Not taken.
- 75 & 76. Sam. Song. Sp. Both nests of deserted

1905 May 21. Haywards Creek

& partly broken & dried eggs. Both in low clumps  
of briars & about 15 ft. apart on land side of willows.

77. R. b. Thrush new.

78. R. b. Thrush. 2 eggs.

79. W. Goldf.  $\frac{1}{2}$  Field mark  $\frac{1}{3}$  8 ft up, in willows & briars. <sup>n/105</sup>

80. W. Goldf. new. 14 ft up, in willow.

81. R. b. Thrush  $\frac{1}{2}$  ft, Inc  $\frac{2}{3}$  6  $\frac{3}{4}$  ft. up, in briars <sup>Field mark</sup>  $\frac{3}{4}$

82. B. h. Grosbeak 4 about hatched. 18 ft up in  
top of slender willow. Obtained by aid of 2 other  
slender willows. Field mark 25

South of big bridge

83. R. b. Thrush. new.

84. R. b. Thrush. 2 eggs. In cottonwood.

85. Cal. Towhee. small young. Outside of b. clump.

In copse south of Dry Creek

86. R. b. Thrush. 2 eggs.

87. R. b. Thrush. 2 eggs.

88. Pil. Warbler new.  $\frac{1}{2}$  ft May 28.  $3\frac{1}{4}$   
ft. up, in briars, back of inside trail.

89. Cr. Towhee new. in parallel line with #88  
& about 20 distant.  $\frac{1}{2}$  ft May 28.

90. Wren Tit. Brad young almost dried up.  
 $4\frac{1}{2}$  ft up in briars near 88 & 89.

91. W. Goldf. small young.

92. C. B. Tit. Bulky nest. 5 begin, 10 ft. in runty  
cottonwood. Field mark 26.

1905 May 21 Haywards Creek. Regular Notes following

Down Stream Again

93. C. B. Tit. ~~\$~~ 7. <sup>Field mark 27</sup> 14 ft up in willows
94. Cal. Towhee. 1 wif. & 2 young.
95. C. B. Tit. Dead young
96. 1 egg in new nest. Same. Song Sp. Same  
on May 28 & June 4.
97. R. B. Thrush. 2 eggs. 2 ft. in briars
98. May 24. W. M. Lark 1 over half & 1 bad &  
inf. Nest  $3\frac{1}{2}$  in deep. Found by John.  
June 2. eaten by mice: Keesing took photo in situ, first.
99. May 25. Mex. Horn. Lark. 2 fresh & warm.  
didn't see bird: near N.E. cor. of field along  
High St. Man was plowing & stopped horse to look  
at horses shoe & nearly stepped on nest, & I found  
it. Nest furrow would have turned it under,  
 $1\frac{1}{2}$  in deep. Of dry grass rolled from previous plough-  
ing. At base of budding camomile weed 7 in.  
high. Found & ploughed 3 weeks ago. <sup>n/2</sup> 05
100. May 31. Allen Hummer. Last egg laid to-day  
or yesterday. In lantana in my garden. <sup>o</sup> flushed  
every time anyone went near her & after a while  
she remained while I passed on wheel & last 3  
days before eggs were out she allowed me to turn  
water faucet without leaving. 1 young out on 14th  
to other on 15th. Keesing took photos June 1.

1905 Regular Notes + Hazards Creek May 28

HSINV/A

VAMPIRE

- 101) May 31. Cal. Partr. 16 eggs. <sup>4/11/11</sup> <sup>VALOUR</sup>  
 against N.E. cor. of  
 John's house. Next day bird was incubating 1 egg.  
 No one knew they <sup>were</sup> <sup>now</sup> <sup>33rd</sup> <sup>SHADYS</sup> <sup>VALLET</sup>  
 nest was there. Several days later <sup>3-10</sup> " <sup>VAGABOND</sup>  
 it was vacant & torn up.

102) June 1. Cal. Partr. <sup>St.</sup> <sup>VACUUM</sup>  
 Kessing took photo of 14 highly  
 incub. In dry 1904 grass near cedar. <sup>3-13-41</sup> <sup>VACANT</sup>  
<sup>15</sup> " <sup>UTENSIL</sup>

103) June 1. Cal. Partr. <sup>34ff</sup> <sup>"</sup> <sup>USHER</sup>  
 at random, different places  
 at Water-side. <sup>5222</sup> <sup>URGEANT</sup>

104) June 1. Cal. Partr. 19<sup>th</sup> late. <sup>10/11</sup> <sup>UPRIGHT</sup>  
 Near old houses etc.  
 Water-side. To Kessing. <sup>1?</sup> " <sup>UNTYDY</sup>

105) June 1. W.M. Bark. <sup>10/11</sup> <sup>UNIVERSITY</sup>  
 Starting nest at Water-side. <sup>8/11</sup> <sup>UNFOLD</sup>  
 Fire burnt over it about week later. <sup>11/3/2</sup> <sup>UNCOUTH</sup>

Haywards Creek, May 28 <sup>11/11</sup> <sup>UNCLE</sup>  
 Same route as last week. <sup>11/3/28</sup> <sup>UNBEND</sup>

106) G. Warbler <sup>11/4</sup>, Slight. <sup>3/10/11</sup> <sup>UMBRELLA</sup>  
 8 ft. upon small willow  
 & in plain sight, <sup>in lower, open twigs</sup> <sup>10/11</sup> <sup>UMBRAKE</sup>  
 passed it as an old nest. Eggs  
 well wreathed & very handsome. <sup>2/11/4</sup> <sup>BLTRY</sup>  
<sup>05</sup> N. Field mark 1

107) R. b. Thrush 1 egg. <sup>3</sup>, only slight, June 4. 5 ft.  
 up brush near above. <sup>8/3/05</sup> <sup>ULCER</sup>  
<sup>UDPER</sup>

108) Sam. Song. Sp. 4 young. 2 ft. up, in briars  
 on land side of willows, near above. <sup>TYPE</sup>

- 4/4  
05
109. R. b. Thrush 4 slight 2 ft. up, in br. & will. mark 2 Field mark 2
110. W. Gole. 3 slight. Found May 21. 6 ft up,  
on bank in upright sprig of cottonwood. 1305
111. Al. Hummer sp. 17 ft. over margin of creek  
on single, dead briar runner, growing rather  
apart from the bunch. Field marks. Slight. 05  
<sup>2 1/2</sup>
112. R. b. Thrush. 4, 20 in up in low  
brush on west bank. Found May 21. Field mark 6
113. Al. Hummer. 4 ft. over creek in cotton-  
wood & will concealed by briar runners. Field mark 7  
<sup>3 1/2</sup> 05
114. R. b. Thrush 3, bird on. 6 ft. up, on  
willow stub, in usual brush on bank. Field mark 9
115. Ov. Towhee. Referring to n/3 recorded 5/21  
There was an old one about 25 ft. distant & had  
evidently contained young destroyed by heavy rains.  
No 13773
116. R. b. Thrush 4 fresh in tangle in pampas copse  
6 ft up. Destroyed 1 egg trying to obtain f. Same  
status June 4. i.e. 15 split egg & 3 good.
117. R. b. Thrush 4 1/2 ft. up, in tangle of briars &  
willows in pampas copse. 3/4 05 H, Field mt 12
118. R. b. Thrush. 3 1/2 ft. up in tangle of briars &  
nettles in pampas copse. 4, Field mt 13
119. Y. Warbler. Fully fledged young. 8 ft up in briar  
runner against willow in tangle in pampas copse.
120. L. t. Chat. 3 naked, yellow young. 2 3/4 ft. in  
briar clump in pampas copse. Dead 6/4/05.

1905 May 28 Haywards Creek June 4.

121. Sam. Song. Sp. 3 nearly hatched. In briars  
 $\frac{3}{4}$  ft. up, under willows at N. end of pampas copse.  
TURTLE
122. Al. Hummer 1 just out & 1 int. off. up, on  
briar runner, under cottonwood on west bank,  
just N. of big bridge.  
TURKEY
123. Hot Finch. M. Field mark 14 against big yellow & sun-  
rounded by briars Field mark 16 4/16  
TURTLE
123. Wren Tit. new nest & one new & abandoned. Both  
8 ft. off apart & parallel with creek. 6 ft up in up-  
right briar runners on west bank. 4/14  
TURKEY
124. R. b. Thrush, 4, Field mark 17.  
5 ft. up in willows & briars west bank.  
TRUANT
- 125) R. b. Thrush 4, Field mark 18  
5 1/2 ft. up in willows & briars & 20 ft. from #124.  
TRINKEET
126. Sam. Song. Sp. 3 Field mark 19  
5 1/2 ft. up, in briars.  
TRIBUTE
127. R. b. Thrush 3 slight. " 3 1/2 ft. up, in briars.  
under willows. Field mark 20 7/30  
TREMOOR
128. C. B. Tit. half done. 4 1/2 ft. up in cottonwood  
on west bank. Further built June 4th.  
TREATY
129. Sam. Song Sp. 3 highly incub. Freely off up  
in briar & willow brush. Field mark 21  
TRAP
- Haywards Creek June 4
130. Tree Swallow. ♀ let on ~~the~~ dead twig near  
stub of willow in which was woodpecker excavation.  
I went up stream to end of route & on return boomed  
TRAGEDY

a saw of Petersen. Bird seen only once: i.e. first time found only a few straws in cavity.

131. C. B. Tit 1 egg. Past "Big Beach"

132. b. B. Tit young, very small. Well concealed in overhead canopy over creek. Took & trails here & up Allen across creek.

133.) Allen Hum. m/r slight. 5 ft up on a ~~bear~~ bear growing from <sup>4/12/12</sup> foliage of cottonwood overhead & hanging into a low canopy of same & well concealed 5 ft. from creek margin.

134. W. Goldfinch ♂, begun. 8 ft up on quadruple bear, in brush. Gave to N. for loan of boots.

135. R. b. Thrush, 1 egg. near site of 652 5/28.

136. R. b. Thrush. several with full & incomplete sets & new nests.

137. Cal. Towhee. 2 stale 4 1/2 ft. up in pampas ~~cobs~~ <sup>1/205</sup>

138. <sup>May 7</sup> Cal. Towhee. H just begun. 10 ft up in twisted & thick growth at end of oak limb in <sup>7</sup> mabels bt. <sup>14</sup> 05.

139. Mayr. Eng. Sparrow 6 fair embryos. In window of kitchen in ruins. 1 broken.

140. June 9 Cal. Partr. 11

Under potato vines in about centre of patch.

141. June 9. Cal. Partr. 15 eggs against log of pear tree in horse pasture E of astrochans. Found when Al & man went after horse. Douglas

1905

TRADITION

wanted to take it, but his father forbade. He  
came back later that eve. & took all the eggs.

TOWER

44) 4/26. Cal. Jay. H. red phase. Too far gone to save.  
14 ft. up in oak over garden gas house.

TORTURE

45) 5/16. Cal. B. Tit. 9 ft up in rose bush on side  
of my house (Photoed by Kessing).

TOPAZ

44) 6/27. Cal. Partridge. Shells of about 15 hatched  
in Early Rose buds.

TONIC

45) Nov 11. Cal. Jay. In centre of seckle orchard

TONGS

~~fall~~ " # # # #

THRONED

~~fall~~ " # # # #

THROAT

~~fall~~ " # # # #

THRIFT

~~fall~~ " " " " "

THICK

~~fall~~ " " " " "

THEME

~~fall~~ " " " " "

THANE

~~fall~~ " " " " "

TETHER

~~fall~~ " " " " "

TENDON

~~fall~~ " " " " "

TEMPEST

~~fall~~ " " " " "

TEMPER

For Index for 1905 See

1906

1. Sun. Apr. 15. Turkey Vulture. 2, incubation just begun. In same cave in Pine Cañon where previous sets were taken. Had to lay with head close to ground & reach for eggs. Bird flushed while we were some good distance down hill.  $\frac{1}{2}$  06
2. Apr. 15. Hawk Hawk. 3 bloodshot. One was chipped by fly blown & judging from condition of the fly blow the egg had been damaged 3 or 4 days ago. Cold & deserted. King & I came into Pine Cañon over the divide from Dahlville & two young fellows near top of hill between "Gibraltar" & Falcon Rock waved to us. They did not appear to have ropes nor could we see their faces well. They began to ascend before we took the old trail up to nest & we saw them no more. The falcons were not at all demonstrative at our approach & appeared to have no eggs. We decided to look into nest to save a "hike" to Castle Rock. The only way to account for the damaged egg is that a piece of the sandstone fell & did it or a bullet reflected. Some surveyors had cut a line along the sage hill below.  $\frac{1}{3}$  06
3. Apr. 15 Am. Barn owl. 4 fresh. Bird flushed from cave below falcon nest. This is only second time we have been early enough for eggs in this cañ.
4. Apr. 15. Black Phoebe. Nearly hatched. Under bridge on Mt. Road. Held King with rope & it was

- a long & hard reach & he broke 2 eggs.
5. Apr. 16. Cal. Jay. left 3 days more for <sup>5th</sup> egg, but no  
more laid. Red phase. 8 ft up in top of small oak  
against wild growth of Rose Avey roses.
6. Apr. 16. Park Wren. Few sticks & pair birds in hollow  
in oak N. end of croquet ground. A little added & pair  
present May 26.
7. Cal. Jay Apr. 17. Slight. About <sup>1/2</sup> ft up & near end  
of horiz. limb of oak in grain field, opp. Wards.
8. Apr. 17. Cal. Jay. 3 fresh. In top of twin oaks back  
of chicken fd. Newbury took it after start several  
days later with  $\frac{3}{4}$ : eggs cold.
9. Apr. 22. Cal. Jay. 11 ft. up in W. Nellis opp. quince  
5 eggs, advanced. Coulant saw them.
10. Apr. 25. C. B. Tit. Young, fledged in my lot, back of  
Weeks' barn. Old nest in same tree.
11. Apr. 25. Cal. Jay. In lot opp. my house. Some kid left  
fresh marks on tree.
12. Apr. 25. C. B. Tit. In above tree. Just hatching
13. " " " " Ethel's lot. 6, advanced. 12 ft up. <sup>3/4</sup>
14. " " Cal. Jay. Top of oak over fence opp. Palmers.  
Gave it up as too high a climb for the possible value.
15. Apr. 28. O. Towhee. 2 1/2 ft. Briar clump by sput  
patch 3 Rmto. Taken, fresh 5/1/06. Found both times.
16. Apr. 29. W. Fly. About done 9 ft. ~~on~~ on ivy runner  
W. side of engine house. Handsome nest, considerable  
cypress bark from log pile. Fresh 5/8/06. To Newbury <sup>7/11</sup> <sub>06</sub>

1906.

17. Apr. 2 May 1st. Cal. Partr. 8 with ♀ on. In grass & dead 1905 stems, S.W. cor. of grass south of old house. To Newbury 5/8/06 with 14.
18. May 1. C. B. Tit. In veg. garden oak. Not accessible.
19. May 9. Park Wren. Young in split in apple tree next to stable tank. 6/7/06 Some one gouged out rotten wood below nest & pulled the sticks out. 2 fresh eggs & hair (horse-tail) remained. Young left 2 weeks ago, fully.
20. May 11. Cal. Partr. & W. M. Lark. Waterside. Kissing took photo. 2 eggs of former in nest of latter. 5/19 4 eggs plus 1 pecked & 1 15 yds away, pecked.
21. May 11. Cal. Jay. Almost complete, 4th vicar in long row. 3 eggs 5/19 took late Brewster. 5/22 Empty.
22. May 13. W. Fly. 4 fresh. on plaster fallen & sheathing & heat pipe. Laundry hall. 5/21/06
23. May 16. Cal. Partr. 16. In grass against agripina east end of stable. To F. E. N. Found by W. J. C.
24. May 18. Cal. Partr. 1 egg with shell particles of another adhering. No nest. In spud patch.
25. May 24. Cal. Partr. 17 with 2 ♀'s on. Plowed ground, in depression caused by clods & overgrown with clover. Near early "sweetwater" cherry. 5/26 to F. E. N., 1/20.
26. May 26. Cal. Partr. Found by F. E. N. Near old cow barn in grass & last year's stems 8 good 1 damaged & 1 few ft. distant also damaged = 10. 200 ft N. of figs.
27. May 27. Cal. Towhee. 1 lg young. 5 ft. up in briars S.W. side

- of oak at N.W. cor. of covered with briars, near ~~timber~~  
28. May 26. Or. Towhee. 1 young able to fly. ~~nest~~ not  
found but hatched by pair in brush ~~across~~  
~~STALK~~ S.E. garden.
29. May 26. L. B. Tit. Oak N.W. of tennis. Inaccessible  
30. " " Cal. Partr. Near car all. ~~across~~ ~~STAB~~ ~~SEGUIN~~  
Gorham, office boy. 1/19. To F. E. H.
31. May 26. Cal. Partr. 1 at foot of pine ~~w. of bowl~~  
alley. No nest. ~~SQUASH~~
32. Apr. or May. Cal. Partr. 1 found on cultivated  
ground in old bellflower orch. by Emilie ~~SPIKE~~  
33. June 7. W. M. Lark.Flushed young just able  
to fly. Near old cow barn site in pasture. ~~SPLASH~~
34. May 26. Or. Towhee & Cal. Partr. Found by  
Emilie. 4 fresh. Very pale. Near picket fence at N.W.  
end of brush lot. In leaf mould under a briar  
grass & chickweed. 5 $\frac{1}{2}$  ft distant I found ~~the former~~  
nest of this pair containing 2 eggs to match. I was too  
dried up to save 4/4 of quail - 6 of which were ~~in~~  
O.Y. nest & one 2 ft. away. ~~13 July 1908~~ ~~SOPRANO~~
35. June 4. Cal. Partr. 16 fresh. Found 5:20 p.m.  
Near ~~the~~ & similar concealment. 12 pale & 4 with  
big spots. 6/16 ~~16~~ ~~SOLMEN~~
36. June 6. Al. Hummer.  $\frac{1}{2}$  half hatched & stained by  
rain 6/2 & 6/3. On Cherokee on cor. of house. ~~SNAIL~~  
37. Apr. 5. King & Newbury took Duck Hawk 1/4, almost fresh  
from same pair, same nest as I took 1/3 4/25/04 & got caught in  
night rain. King says 1 Prairie present, but as they made no fuss  
he didn't go down to nest. Newbury is to deliver me the 2d set of Duck Hk.

1906

- May 6. Haywards Creek Copied from Newbury's notes  
with corrections from mine  
in undergrowth
- Up stream on east bank from Petersens to end of route: down stream on west bank:
38. Cal. Bush Tit 6 fresh. 9 ft. up in perpendicular briars among tall slender willows.
  - Very large, bulky but well constructed nest. 2/16/06
  39. House Finch 5 ft. up in leaning cotton-wood sapling in crotch formed by 3 limbs. 4 eggs nearly hatched.
  40. Cal. Towhee. 3 fresh.  $4\frac{1}{2}$  ft. up in top of small sawed off willow stub: among thick growth of sprouts. Bird taken.
  41. Sam. Song Sparrow. 4 slight. 4 ft up in briars.
  42. Willow Goldf. 5 slight. 5 ft. up in crotch of willow sapling in thicket W 5/26
  43. S. M. Yellowthroat 4 fresh. Eggs cold. Newbury won this on toss-up. About 1 ft up in briars & grass near rail fence running E by.
  44. B. h. Grosbeak. 3 fresh. 10 to 15 ft. from edge of bank in sapling, 3 ft. up. 1/306
  45. B. h. Grosbeak. 4 fresh. 9 ft. up in willow sapling & briars in Pampas Grov. Foundation of last year's ward stems with seed pods adhering, & fennel heads. Lined with customary wire rootlets. ♀ taken.
  46. Sam. Song Sparrow 3 fresh.  $3\frac{1}{2}$  ft. up in crotch of willow sapling overgrown with briars.
  47. G. Pil. Warbler. 3 fresh. 3 ft. up in outside

SLOMBER

SLOWEN

edge of briar clump on side of trail near North end  
of Pampas Grove.

SLOUCH

48. West. Flycatcher 3 advanced. On rafter of old wagon shed behind Nelson's barn. 3<sup>n</sup>/<sub>3</sub> 06

SLOT

49. Cal. Towhee. handsome set of 3 in black hair lined nest. soft up among thick sprouts of sawed-off cottonwood limb of big tree on bank in gloomy part of creek. 3<sup>n</sup>/<sub>3</sub> 06

SLEEP

50. G. P. Warbler. H fresh. soft up in briars near edge of bank. 3<sup>n</sup>/<sub>3</sub> 06

SLAVE

51. Sam. Song Sparrow. 3, incub. 1/2. H ft. up in briars at edge of bank. 3<sup>n</sup>/<sub>3</sub> 06

SLAB

52. G. Pel. Warbler. soft so in upon sloping briars under cottonwood: edge of sloping bank. All the surrounding vegetation white with willow cotton. H eggs rather advanced. n<sup>1</sup>/<sub>4</sub> 06

SKULL

SKEWER

53. Willow Goldfinch. H advanced. 8 ft. up in slender quadruple cottonwood sprouts among thick growth of young cottonwood. 3<sup>n</sup>/<sub>3</sub> 06

SILVAN

SILICA

SILENCE

54. House Finch. H fresh. In usual situation in briars & saplings on bank. 3<sup>n</sup>/<sub>3</sub> 06

SIGNAL

SIGN

55. Bullock's Oriole. 6 fully 1/3 incub. 14 ft. up in outer pensile branches of curly willow close to Peterson's house. Limb about 15 ft. horizontally. Secured by standing on high wooden horse & securing small branch with rattle. ♀ set close. n<sup>1</sup>/<sub>6</sub> 06

SICKLE

SHROUD

SHRIMP

1906

56. Brewers Blackbird. No nests southward by narrow gauge track. One nest investigated had been torn down by boys & trees showed evidence of their having been there.
54. Cliff Swallow. Several nests on Petersens barn. 2 were torn open 10:30 a.m. & were rebuilt by time we got back. 1 pair at one shot in one nest.
58. Eng. Sparrow. 3 young & 1 bad egg in nest in corner of wooden horse we took from exposed situation in yard to aid in securing Oriole nest.
59. W. W. Vireo. Found after lots of gazing. 25 ft. over creek in sloping willow. Cut off limb after lots of labor & in drawing it in a long twig that was attached to nest twig flew loose & spilled part of set. Fixed limb so bird could have what was left. She did so immediately.
60. W. W. Vireo. New nest 20 ft up over bank out 10 ft on small limb of cottonwood. Found after considerable grubbing.  $\frac{3}{4}$  way down stream.
61. Willow Goldfinch. Bird on 1 egg, not far north of 60.
62. " " 3 fresh. Pampas Grove.
63. Wren Tit. New.  $4\frac{1}{2}$  ft up. " " young
64. House Finch. 2 very handsome nests made almost entirely of pampas bloom <sup>with young</sup> another empty, all within small area in pampas grove. Many other along route, mostly with young, none of which were

fledged, still fuzzy with sets <sup>of</sup>, still fuzzy without eggs.

65. B. h. Grosbeak. Nest of downy young.

66. Al. Hummer. 2 nests of half fledged young. one partly finished nest.

67. G. Pit. Warbler & nearly fully fledged young less than 2 ft. up in briars & partly tipped to one side. This was found just previous to the yellowthroat.

Also 2 incubated eggs in low briars ~~behind the creek~~  
~~near the creek~~ brush & close to wire separating it from Nelson field.

An empty nest in briars on orchard side on East bank.

68. Vigors Wren in Willow Woodpecker's excavation 10 ft. up. in willow stub, edge of west bank.

69. R. b. Thrush. Many birds seen. Only one nest, about half completed.

70. Cal. Towhee. 2 nests containing downy young.

71. Fam. Song Sparrow. one nest " large young.

72. Cal. Bush Tit. One with large young. One poorly constructed.

Sunday May 13<sup>th</sup> 1906 Newbury's Notes from

Haywards Creek. downstream from Willows Hotel

He went alone.

73. Cal. Bush Tit. 1 fresh. 15 ft up in dead twigs of cottonwood sapling: barely hanging from 2 small dead twigs.

74. Cal. Towhee. New nest in grove next to Pampas. In large thick clumps of briars. I didn't find this on ~~nest~~ but

1906

75. Cal. Towhee 2 or 3 partly completed nests on the trip.
76. Willow Goldfinch. New. Tangle of briars near bank in Pampas Grove.
77. Willow Goldfinch.  $\frac{1}{4}$  fresh. 5 ft. up on dead leaning branch of willow & briars. Deeply cupped.
78.  $\frac{1}{2}$  Willow Goldfinch. Newbury couldn't locate the nest, <sup>at first</sup> we found one week ago in Pampas.  $\frac{1}{5}$ , fresh.
79.  $\frac{1}{4}$ . Men Tit. Newbury got  $\frac{1}{4}$  in last week's nest.
80. Sam. Song Sp. 4 young in bunch of rank grass at end of Pampas Grove.
81. M. Dove. Pair setting on foundation of nest near where we found large young of Bush Tit last week.
82. House Finch. A large rat curled up in nest. Had probably eaten the young as wing & tail feathers were found in nest.
83. B. h. Grosbeak. 3 fresh. In leaning small willow 12 ft. over water.

Sunday, May 20/06 Hayward's Creek ~~with~~ <sup>the</sup> Newbury has my notes for this trip in his book. Dig up originals & record herein: they are as follows: - in order of rotation, as found.

82. Willow Goldfinch. Eggs fresh; broken. 9 ft over water in briars & willows.

83. R. b. Thrush.  $\frac{3}{4}$  completed. 4 ft. up in briars. 95 ft below first bridge.

84. B. h. Grosbeak. 25 ft. in top of tall slender willow. <sup>Let it be.</sup>  
**SORRY**
85. R. b. Thrush. 4 ft. in briars; field side. <sup>Under</sup>  
 willows 10 ft. from bank: 100 ft. past 1st. bridge. <sup>#16</sup>  
**SCOWS**
86. R. b. Thrush. Still w.r.t. 3 1/2 ft., in briars & willows.  
**SCIENCE**
87. Cal. Towhee. ~~saw~~ New. On bank in willow with  
 2 ft. horizontal stub at site  
**SCARF**
88. S. S. Sparrow. 1 egg. Bird on. In willow & briars  
 10 ft. above cut, 135 ft. below 2d bridge.  
**SCALD**
89. S. S. Sparrow. 3 cold. 2 ft. up in briars <sup>1/2</sup> cotton-  
 wood; field side. <sup>1/3</sup> 06   
**SCABE**
90. G. P. Warbler. Done. 2 ft. up. Canbe of bush.  
**SATAN**
91. S. S. Sparrow. 1 egg <sup>1/2</sup> leaves. 8 ft up, brush, field side.  
**SARCASM**
92. House Finch 4 eggs. 7 ft. over creek. Run of green  
 asparagus.  
**SARACEN**
93. C. Wren Tit. 3 eggs. 3 1/2 ft. up in briars & dead willow.  
 In brush 25 ft. from bank. <sup>n/306</sup>   
**SALT**
94. R. b. Thrush. New.  
**SALTIN**
95. G. P. Warbler. New. In Pampas Grove <sup>1/2</sup> done.  
**SAD**
96. W. Goldfinch 1/2 done. " " " In willow.  
**SABRE**
97. House Finch. Several nests of eggs sucked by rats.  
**RUMBLE**
98. 99. R. b. Thrush. 2 & 3 eggs. Pampas Grove.  
**RULE**
100. B. h. Grosbeak. Past Pampas Grove. Appears  
 rented by House Finch; lined with feathers.  
**RUBY**
101. W. W. Vireo. 3 eggs. A very hard one to get  
 over creek <sup>n/306</sup>   
**ROYAL**
102. W. Goldfinch 2 nests at Traill's Flycatcher patch  
 a third 30 ft. up in cottonwood. ~~that was new. Not examined.~~  
**ROYER**

1906

103. S. S. Sparrow. new. Opposite last pickets, going up.
104. C. Wren Tit. Remnants of shells in nest. Pampas.
105. S. S. Sparrow in 1 brace. Pipe stem grove.
106. Cal. Towhee. new. " " "
107. Cliff Swallow. 4 eggs Petersens Barn.
108. 6/14. Cal. Partridge. 15 deserted. S.E. part of Watsonia <sup>10/15/06</sup> ~~10/15/06~~
109. 5/26. Park. Wren <sup>6/14/06</sup> <sup>10/15/06</sup> fair sized embryos in cav-  
ity down about 1 ft. in oak in small grove west of S.  
end of tennis court. Nest saved. <sup>m/17/06</sup>
110. 6/23. Cal. Partr. 4 eggs in turkey yard among  
scant periwinkles with skeleton brush of cypress &  
under a pulled up horehound weed. 15 eggs July 3. <sup>9/15/06</sup>
111. 6/24. Cal. Partridge 11 eggs under planks on  
North side of privet hedge. He found it by follow-  
ing a cottontail. She quit the job <sup>8/11/06</sup> laid in
- \*110. Bill told me about this nest when it con-  
tained 4 aggs & wanted to know what bird laid 4 aggs  
with big red spots. I asked him if it was on the ground  
& he said he wouldn't tell me because I'd sweep it. I  
hunted orchard west of plum ave. where I knew  
he'd been that day, for this nest. Several heavy pine  
planks had been removed from the plank pile, leav-  
ing only the bottom plank, a wide redwood resting  
upon two low strips. & the change of appearance  
was evidently the cause of the desertion. It goes to

ROMANTIC

Show that quail, being somewhat gregarious in the nesting way will deposit the remainder of the set in some safe place & not drop them at random when called upon by nature, yet why did she lay 26 small?

112. 7/3/06. Cal. Partridge 15 stale. Found in hay by John east of astrachan orchard. ~~toffer~~ ~~ot~~

113. 7/4/06. ♂. Towhee. 3 in up in periwinkles in brush lot west of oak & poison oak. 3 eggs.

114. 7/17 Cal. Partridge. 8 stale. Found by chimney men hozing grass out of Duchess roses south side of stable.

115. <sup>abt</sup> Geo. Wacker says the chinks employed to hoe thistles found lots of quail eggs & took them home.

116. Cal. Partridge. 8 rather stale in briars in brush lot among old tank hoops.

117. 10/14. W. W. Vireo. This season's old nest in west side of buckeye, north of Stable. Found by Emilie. I noticed a bird here quite often this spring.

RIDGE

RIBAND

REVOLT

REVILLE

REVENGE

REVELRY

ROLLER  
RODENT

ROCKY

ROBUST

ROBIN

ROBE

ROBBERS

ROAST

RIVET

RIVUL

RIPPLE

RING

RIDGE

RIFLE

RIDICULE

RIDGE

RIDER

REVILLE

REVOLET

REVENGE

REVELRY

1907.

1. 4/17. Cal. Jay. About done, 20 ft. up in southwly outside branches of big oak near N.W. cor. grain field. Tried it twice later & found it abandoned.
2. 4/17. Cal. Jay 15 to 20 ft up in small oak at end of back field where grove begins. 4/28 took set of 5 7/5/07
3. 4/15. Prairie Falcon. Sheldon & I visited old nest early this morn. Fog & mist after night's rain. Well soaked by brush. Didn't see a bird on the trip.
4. 4/15 Duck Hawk. Pistol shot flushed bird from bathing cliff where King & Newbury took 1/4 1906 & King & I took 1/3 1904. She whooped it up & we felt certain of set but careful exploration revealed nothing.
5. 4/21. Cal. Towhee. New nest. 5 ft. up in poison oak & briars against oak in brush lot. Several days later 3 eggs, 2 days hence 2 eggs. 1/207 No data blank.
6. 4/22. Cal. Jay. 4 fresh. 30 ft. in straight oak w. of Whites. Took set, this tree, some years ago. 1/4 07
7. 4/22 Cal. Jay 3 eggs & 2 young just out. 22 ft. up near end of limb in grove S. of S. C. Av.
8. 4/22. Cal. Jay. 6, large comb. 28 ft. up in oak E. of Wards. 3/6/07
9. 4/22. Cal. Jay. 5, heavy. 45 ft. up in oak S. of Palmers. Last year brood reared here. 4/5/07
10. 4/22. Cal. Jay. 5 fresh. 35 ft up in 25 ft. straight,

- QUARTZ  
GUALEM  
GUATEMALA
- shiny limb in centre of tree. Oak next to beets & carrots field E of grain oats. Got 7/4 with branch here about 1898. 6/5/07
11. 4/23. W. Flycatcher new. In octagon summer house. 5/2 3 begun, about 3 days. 2/3/07  
see #13, #108, \*
12. 4/28. Cal. Jay. 3 eggs. 5/1 took 5, began. About 12 ft. up in end of limb of willow in long row. Red phases. 6/5/07
13. 5/5 W. Flycatcher #11 rebuilding on angle of drain pipe by dining room of bowl. ally. 5/16, 4 just begun. 3/17/07
14. 5/5 Cal. Jay old. 10 ft. up near big limb
15. 5/6. Cr. Towhee. 4 begun. Very artfully concealed under 2 brier leaves in chickweed, grass & wild spinach, 4 ft. from trailing branches of 2d cypress inside gate, on back road. ♀ flushed at close range but nests so well concealed I thought of giving up the search & putting her down as a feeder. 6/4/07
- #. #125 4 slight 6/19 is? her 3d set

May 8, Wednesday. Alone to Hayward's Creek. From Petersen's to end of route.

Cliff Swallow 1 egg. Petersen's barn. Only 2 nests.

7. Sam. Song Spar. 3 ft up in briars. New. Between

- dike fence by 1st. bridge. 1907
18. House Finch. Usual number of nests in construction, part sets, sets, & young. None of young older than partly feathered. No molestation by rats noted along creek.
19. Fam. Song Spar. new.
20. " " " 1 large young & 1 dried up egg.
21. " " " small young.
22. Al. Hummer. In briar. Young have left. Floods have steepened the banks & washed away many of the briars.
23. W. W. Vireo  $n/4$  ♀ & ♂ secured. 8 $\frac{1}{2}$  ft. up over creek in cottonwood.  $n/30^{\circ}$
24. Willow Goldf. Young several days old & 1 or 2 eggs.
25. Willow Goldfinch.  $n/5$  ♀ & taken; 7 ft. up, willows by briars edge of creek.  $n/50^{\circ}$
26. G. P. Warbler. 4 nests of young about flags. except one. Young hopping about in another.
27. Cal. Towhee. Bird on 2 fresh, in briar clump in brush following rail fence at right angle to creek, east of where N. & I took Pil. Warbler ♀ Yellowthroat last year.
28. G. P. Warbler  $n/4$  young in same clump.
29. Willow Goldfinch. 3 fresh.
30. B. h. Grosbeak  $n/3$  fine ♂ taken. 15 ft.

- up in top of willow sapling. Someone had tried  
it before & failed. It was a hard job, using 2 willows  
of similar size to get nest. <sup>n/3</sup> I cleared out after <sup>67</sup> it  
dropped. In thick brush about 30 ft from creek at  
concealed fence parallel to creek.
31. W. Flycatcher. 3 rather advanced, flushed <sup>way</sup>  
clever to nest. In bank sold partly dead willow  
stubs. No brush to attract the casual observer. <sup>n/3</sup> <sup>67</sup>
- Across stream to <sup>bamboo</sup> grove for following:-
32. Cal. Bush Tit. n/5 fresh except dull looking  
one which is a holdover from recent brood.  
18 ft. up in tall, slender, double, silver-willow &  
a nice climb in the supple tree. <sup>n/5</sup> <sup>60</sup>
33. Willow Goldfinch. New nest about 15 ft up. Cottonwood
34. Vigors Wren. Birds ubiquitous in & about  
grove. Nest in box in corner of same; one of  
a pile of stacked, up-turned tomato boxes.  
Newbury visited it on 26<sup>th</sup> & found nest not  
laid in & no birds about.
35. Allen's Hummer. Young had left on long,  
isolated briar growing out of clump <sup>in</sup> into it  
again. In centre of grove.
36. B. h. Grosbeak. One egg in nest in <sup>top of</sup>  
willow. This top was 6 ft. long <sup>eggs</sup> had been cut  
4 ft. from ground making 10 ft. It was partly stuck  
into ground & lodged again trunk & twigs of  
parent tree & adjoining one.

37. B. h. Grosbeak. New nest in top of willow sapling about 8 ft. up. Probably sequel to #36, close by.
38. G. P. Warbler. New.  $2\frac{1}{2}$  ft. up in outside edge of clump of briars on trail going out. Across stream to east bank recumming up-stream for the following.
39. Sam. Song Spar. 3 cold; pale. Taken. Near big bridge.
40. G. P. Warbler. 2 young beginning to feather. about 3 ft. up in briars by something of Nelson's field just past big bridge. by apricot orchard.
41. Sam. Song Sparrow. Fresh.
42. C. B. Tit. About 25 ft. up in tall willow on side of steep bank. Didn't try it.
43. W. Flycatcher. New. In usual site in shed behind Nelsons. On 26, Newbury says nest gone.
44. F. Hornward on west bank for following
44. Cal. Towhee. new.
45. Sam. Song Spar.  $\frac{1}{2}$  ft small emb. 3 ft. up in briar clump in open space among thick willows. <sup>2/21/4</sup> 07
46. B. h. Grosbeak. 2 eggs.  $8\frac{1}{2}$  ft. up in elder. Nest tipped by previous investigator.
47. Sam. Song Spar.  $\frac{3}{4}$  way back from #46.  $\frac{2}{3}$  brown eggs. <sup>2/30/7</sup>

- Sunday, May 12-1907 Niles Swamp with Newbury  
PORTAL
48. Brewer's Blackbird. 2 or 3 nests about 20 ft up in  
tops of willows in 2  $\frac{1}{2}$  ft. water. Didn't try them.  
POPLAR
49. Green Heron. 6, slight to well formed embryos.  
flat nest of dead twigs 15 ft. up in willow in  
water. Bird flushed at close approach. Did see  
mate or her again, nor any others.  
POWDER
50. Y. h. Blackbird 3 fresh! About 2 ft. above  
water in new growth of tulips.  
POLICE
51. Y. h. Blackbird. Same remarks. to Newbury.  
POKE
52. " " ~~two~~ two partial sets of 2 or 3  
nests under construction.  
PLUM
53. Luke Wren. Most of nests wt. This shows  
they do not build one nest at a time. Got wary  
of examining them. Not over 6 pair here.  
PLUG
54. S. M. Yellowthroat. In willow sprouts of a  
fair sized tree, abo 3 ft. up at wire fence  
enclosing a copse. On this side a parallel open  
space about 15 ft wide then a fringe of brush &  
R.R. track. 4 young, downy black, in nest. 26  
inches away on east side of fence post of said wire  
fence was abandoned nest with 4 stale eggs. No incuba-  
tion.  
PLASTER
55. S. M. Yellowthroat. About 60 yds. further west  
empty nest young had left. Same, a few gas. further.  
PIRATES
56. G.P. Warbler. Nest of young partly feathered. A-  
bout opposite #54. 2  $\frac{1}{2}$  ft. up in briars under wire fence  
PIVOT

1907

on line of S.P. property next to track.

57. S. S. Sparrow. One nest of young + 2 new nests.

58. S. S. Sparrow. 3 fresh. 4/3/07.

59. S. S. Sparrow. 3 begun. 7 ft up in scant briars under tall willows. Eggs completely discolored by mud. Nest the smallest + meanest I ever saw. Composed of a small bunch of dry grass that had become hard & crusty with mud.

60. L. B. Tit. Young in nest.

61. Willow Goldfinch. 5, small embryos 9 ft up in willow among tall willows in gloomy spot. Tree slanting 45°. 2 1/2 ft. 5/5/07

62. S.-t. Chat. 4 fresh or nearly so. To Newbury with nest. 8 ft. up in rather scant briars intermingled, under & among tall willows in gloomy part of "swamp". Birds not seen or heard.

63. B. h. Grosbeak nest about done. Near R.R. track, in low willow.

Same. 1 egg + 3 just hatched. ♂ on nest 5 1/2 ft. up on one brier between 2 small willows 1 ft. apart. 4:20 p.m.

64. Willow Goldfinch. 2 vacant nests.

65. R. b. Thrush. New nest in briars under willows

67. Am. Coot. 5 or 6 nests with 1 to 3 eggs. Many  
of nests contained bits of broken shell. About 10  
empty nests. All in floating weed among sd.  
growth of tubs
68. Am. Coot. 4 eggs to Newbury. also 5
69. " " 8 fresh. 4/5 of
70. " " 11 Newbury dropped 2 out of box  
& broke them.
71. Grebe, probably Pied-billed. One nest along wire  
fence on west & another containing fragments of shell  
of this bird, about centre of swamp. Saw no birds.
72. 5/15 Cal. Jay. 3 eggs. Red mds. Only  $4\frac{3}{4}$  up in  
projecting ivy under buckthorn. Not at all a Jay's  
site a/c proximity to ground & especially the dark &  
shady & enclosed situation owing to other plants about.  
Next day 2 birds had hatched. More yellowish-flesh. Nest  
empty 3 or 4 days later.
- ~~Cal. Jays~~
- Sunday May 19. Visits Barn with Newbury <sup>and Rose</sup>
73. Ark. Goldfinch. Young just hatching. Hard to get  
at in leaning willow just out of town in dry chan-  
nel at right angles from creek.
74. Same. New. 15 ft. up in small willow twist grape.  
edge of any kind of overflow.
75. Cal. Towhee. 4 slight. 3 ft up in clump of briars

1907

on bank between cultivated field & dry run of creek.

76. W. Flycatcher. Small young. In rotten, split cross beam of decayed & dilapidated footbridge over dry bed of overflow.

77. M. Dove. 1/2 young in tree edge of bank. 50 ft from road. Egg next to thicket where shot & lost Chat & G. P. Warbler. Another elsewhere.

78. Park Wren. 5 fresh in Gardner excavation ~~hiding~~ in small willow 9 ft up. Hung by 1 arm & ganted off part of tree & got eggs. Scant nest with some ~~egg~~ <sup>long hair white leghorn & barred Rock feathers</sup> skin, so Newbury.

79. B. h. Grosbeak, 1 building, 1 done

79 1/2 S. Song Spar. 2/3. left it. Found after #76.

80. S. Song Sparrow. 4 begun. Usual siti. 5/4/07

81. " " " 3 fresh or slight. " " 6/3/07

81 1/2 G. P. Warbler 3 new nests in typical siti.

82. R. b. Thrush. 4 fresh. usual sites, near creek 1/4/07

82 1/2 Same 3 " " " " " 2/3/07

83 Lazuli Bunting. 1 about fresh. 2 3/4 ft. up in "dry" briars at square ~~wire~~ <sup>up bank</sup> fence of Spr. Valley Water Co. Along creek. Trees & brush along fence 7 1/2 ft distant each way from nest. I flushed & not seen again.

84. Same. New nest in sage on side hill above West. Pacif. new road.

PAUPER

PATRIOT

PASTOR

PASSION

PAROLE

PARODY

PARISH

PARSON

PARADISE

85. Parkm. Wren. Rose looked for it under S.P.C.  
treesth over creek. About 50ft. high & close to rails.  
Took set last year.
86. Ark. Goldfinch. ♂ about fresh in willow near  
top about 10ft up. Between road & creek. to Newbury
87. Cal. Towhee  $\frac{n}{3}$  small Young. Found after  $79\frac{1}{2}$  we  
now dry bed of overflow for wider & dry bed of high water.
88. Cal. Screech Owl. 3, large imm. 35 ft up  
in hollow on concave lean of tree. Got nervous  
& couldnt make it, & Newbury wouldn't. & Rose  
couldn't with one arm although he said he did  
when he took Sparrow Hawk set 1906.  $\frac{n}{3}$  I  
started for plank from one of near by lumber  
piles when a young fellow came along who  
made it for us. Rose got & with my  $\frac{1}{2}$  shot  
cartridge. She lit on small limb outside nest.  
She flew 150 ft & dropped dead.
89. R. s. Flicker. In same tree 20ft. higher.
90. G. b. Chat. Large young quit nest. In  
oaks, willows & maples here & there  
thick copse on side hill at wren feeding Secured  
who was keeping up mournful warning notes.
91. R. b. Thrush. Several nests not yet laid in.  
 $\frac{n}{3}$  not taken
92. S. S. Sparrow. 2d nest of 3  $\frac{n}{3}$  2 or 3 new ones.  
92 $\frac{1}{2}$ . Wren Set feeding young in same thicket as #90.

1907

93. 5/21. Parkm. Wren. Bird feeding young in oak opp. study window. 25 or 30 ft up in crevice
94. 5/21. Same. Young. Far down in hollow in oak of N. end of croquet ground. Lost set by not being able to see far enough in & thinking they were only building. Tore off a small projection inside & was able to reach. Arm's length & a tight fit.
95. <sup>5/24</sup> Cal. Partr. set all crushed by cow or horse. Old gold type. About 100 ft. w. of cow shed site.
96. 5/24 John says nest N. N. W. of this shed. Found it about week later but some one had taken eggs.
97. 5/24. John says another S. W. of shed. Constant finding
98. 5/24. Cal. Partr. 16 with damaged ones thrown out. In hoof mark between 2 beets of last year in unplowed field, near Smiths. No incubation. <sup>16</sup><sub>07</sub>
99. 5/23. Cal. Jay. 4 incub. heavy. 15 ft. up near end of limb S.W. cor. coral. <sup>8 1/4</sup><sub>07</sub>
100. 5/24. N. Flycatcher. In oak where took set some years ago & under which found set 2 nail per Theodore in 1876. Located the lining was torn & hanging over & later the whole nest gone
101. 5/25 Cal. Partridge. 14 bloodshot. Boid on. 6 p.m. In grass under small locust & oak across shell road from E. end of yd 1. 14<sub>07</sub>

1907. 15 ft up in outer branches N.E. side  
date at N. end tennis court OVAL
102. 5/24. Cal. Bush Tit. Found built a few  
days ago. 4 fresh. Took n/s 5/28. 2/n/507 OUTER
103. 5/26. Cal. Partr. Took ♀ by hand 5/27 a-  
bout out. In hoof mark in scant grass & hot  
sun in hollow made by dredger stream  
east of cypresses  $\frac{1}{2}$  way from picket fence.  
Jimmy, Granville & Thelema along. ORGAN
104. 5/26. Bull. Oriole. Eucalyptus 25 ft. up.  
Jimmy says 3 eggs some days ago. Found  
remnants of nest on ground. OPERA
105. 5/26. W. Flycatcher. #11 4/13 3d nest. In  
summer house. Emilie said she thought  
it was dirt & poked it down & broke 2 eggs. OMELLET
106. 5/29. Cal. Partr. 1 egg in spud patch. Looks  
as if were nest. Later, nothing doing further. OCTAGON
107. 5/29. W. M. Lark. Hansome shell with  
purplish-lilac tints. Probably wrasels. Near  
cow shed site, 100 ft. away. OCCULT
108. 5/30 Cal. Partridge. Newbury found 4  
singles dropped without nest. 2 near High St.  
fence, 1 on mushroom hills & 1 northerly.  
OBSTACLE
109. 5/30 Cal. Partr. In thistle clump 40 ft. from  
bank. 25. a few were fresh or nearly so &  
the others, which have most of color soaked off were  
downy. 2507 OBSCENE
110. 5/30 Same. Old broken shells. Meadow

1907

111. 5/30 N. M. Lark. Empty. Under tuft of grass with last year's stalks predominating. In line N & S with big eucalyptus & E & W. with 2 poles. 2 mustard weeds close to it. Made diligent search on 6/11 but couldn't locate it although I went over all the ground. Some cow had probably destroyed the 2 weeds.

112. 5/30. W. Flycatcher. Appears new. About 6/10 empty. No birds in either case. In woodshed under big tanks.

113. 5/31. Cat. Partr. 10 eggs thickly speckled with small brown dots. One in #109 belongs to it. Expected to get more next day at noon found someone had taken 7, so I took the 3. A few yards S.E. of old cowshed site very well concealed in bunches of grass.

114. 5/31. Or. Towhee. H. heavy. 14 in. in inside side of ivy border N. of Tartarian. 1 popped in blowing. <sup>2/11/307</sup>

115. 5/31. W. Fly. Small young 3 ft. against N. side of Johns, in ivy. Several days later found young gone, living on ground tiny detached from wall. Some cats' work.

116. 6/1 Cat. Partr. 19, slight. John shuffled over bird as she flew up & skinned her back on his sole. In grass near hot house. 19<sub>07</sub>

1907

OBVIOUSLY

117. 6/4 Cal. Bush Tit. About hatched. This is  
latest record. 15 ft. up N.E. side of oak by honeysuckle.
118. 6/4. Lut. Warbler. Appear to be nesting in quai  
briars. Delightful search of no avail.
119. 6/9 Cal. Partr. Granville says he got 21 in  
meadow 1/3 on waterside. Has a hell of a nerve.  
June 40<sup>th</sup>
120. 6/17 B.c. N. Heron. Have heard young for  
over a week) in one nest by old summer house
- Other places abandoned this year. Cause unknown.
- Some, I think built back of orchard & about water  
works & Thompson premises.
121. 6/11 W. M. Lark. Caught one of two flutterers  
in meadow & gave it to Muriel. It was lying  
dead-game.
122. 6/12. Bull. Oriole. Piece of black-hair worn.  
On ground under cypress s. of bowl alley 1906  
or 1905 construction.
122. 6/14. W. Flycatcher. Found empty  
nest about 8 inches in height. Under cypress  
so. of bowl alley.
123. 5/26. Cal. Shrike. Philbrick says took nest  
last year in dead cypress near S. W. corner  
meadow.
124. 6/6. Cal. Partridge 12. In green grass un-  
der pines on F.V. road. W. side of road. About 50  
ft N. of shell road. & flushed. 12<sup>07</sup>

1907

125. 6/19 Ov. Towhee. H slight. Possibly same pair as #15. In 17 yr. growth of low briars at N. end of orig. clump, under grove by T. ave. Briars thickly covering ground & nest of rotten cypress foliage, rimmed with rotten eucalyptus leaves, so flimsy couldn't lift it.
126. 6/19 G.A. Scott, tearing down old house says found 3 downy barn owls with feathers beginning to sprout. In Mabel & Edith's room. Looked for them but they had crawled away or fallen.
127. 6/20 Cal. Partr. Emilie flushed ♀ off, slight in periwinkles among old tank hoops & briars in brush lot.
128. 6/29. C.B. Tit. Gordon Cunningham & Stanley Allen tore down nest with 1 egg in oak behind coachman's.
129. 6/29. Cal. Jay. Abandoned & empty. In astachans.
130. 6/29. Ov. Towhee. Emilie found 1 egg & 2 young just hatched, on ground, in periwinkles west of briars & poison oak on big oak in brush lot.
131. 7/11/18 Cal. Jay. Old nest in second found near by pasture gate. Missed it this season.

## Index 1907.

OBELATION

OBIT

OBELISK

OATH

OAK

NURSERY

NUPTIAL

NUMBERAL

NUDE

NOVICE

NOVELTY

NOTCH

NOSTRIL

NORMAL

NOOSE

NOMAD

NOISE

NOBILITY

NIMBLE

NICE

NICKELE

NEUTER

NESTLE

NERVE

Gyre, most likely Reed-billed 71.

Heron, Green. 49.

Heron, B.c. Night 120.

Boat, Am. 67 &amp; 70.

Dove, Mourning. 77.

Falcon, Prairie 3.

Duck Hawk 4.

Barn Owl 126.

Cal. Screech Owl. 88.

Cal. Partridge. 95 to 98. ~~109~~ 116. 119. 124. 127. ~~131~~  
(103. 106. 108 to 110. 113)

Allen's Hummer 22. 35.

Red-shafted Flicker 89.

Western Flycatcher 11. 13. 31. 43. 76. 106. 165. 112. 115. 122.

Cal. Jay 1. 2. 6. 7. 8. 9. 10. 12. <sup>4</sup> 77. 99. 129. 131.

West. Mead. Lark 107. 111. 121.

Bullock's Oriole 104. 122.

Brewer's Blackbird 48.

Yellow-headed Blackbird 50. 51. 52.

Willow Goldfinch 24. 25. 29. 33. 61. 64.

Ark. Bo. 73. 74. 86.

House Finch 18.

Am. Song Sparrow 17. 19. 20. 21. 39. 41. 45. 47. 54. 58.  
59. 79<sup>1/2</sup>. 80. 81. 92.

Oregon Towhee 15. 114. 125. 130.

Index 1907.

- Cal. Touhee. 5. 27. 44. 75. 87.  
Black-head. Grosbeak 30. 36. 37. 46. 63. 79.  
Lazuli Bunting 83. 84.  
Cliff Swallow. 16.  
Cal. Shrike 123.  
W. W. Vireo 23.  
Lutescent Warbler 118.  
Gold. Pileolated Do. 26. 38. 38. 40. 56. 81 $\frac{1}{2}$ .  
Vigors Wren 34.  
Zule Do. 53.  
Partman's Do. 48. 85. 93. 94.  
M. b. Chat 62. 90.  
S. marsh Yellowthroat 54. 55.  
Int. Wren  $\frac{7}{4}$ t. 92 $\frac{1}{2}$ v.  
Cal. Bush Tit. 32. 42. 60. 102. 117. 128.  
Russet-back Thrush 65. 82. 82 $\frac{1}{2}$ . 91.

1908.

1. 3/29. W. M. Lark. 3 fresh. Found by Muriel who flushed bird. In hoof mark in salty ground where grass was consequently low, close to pear ave on north side & about 13 tree east from astriachans. Apr. 1. no circulation  
n/308

NEPHEW

NEGRO

NEGRESSES

NEGLECT

NEEDLE

NECTAR

NEATLY

NEAVAL

NATURAL

NATIVE

NATIONAL

NARCOTIC

NAPKIN

NAPR

NARKEEY

NAKED

NADIR

NABOB

MYSTIC

MARTIE

MUTTON

MUTABLE

MUSSTIN

MUSICO

2. 4/1. W. M. Lark. Shell of one sucked egg. Found nest, about 150 ft. from orchard at greenings. Couldnt find nest. Lots of birds present. Shot wasel 4/10 but didnt get him before he fell into his bagrow.  
3. 4/3 Allen's Hummer begun. 320 ft. in began  
berry bitw. prune & 320 ft. apricot. Cat? 40 ft.  
top it down after 1st egg laid

4. Haywards Creek 4/29 Alone. From Peter-  
sons up east bank - boys been along & ruined  
everything. Very little water in creek.

4. House Finch. 5 Slight in various degrees. 8 ft  
up in sprouts of fair sized willow cut off last year,  
growing at bottom of bank. n/508

5. House Finch. 5 or 6 nests of young along route.  
None yet feathered. About <sup>35% less than</sup> usual number of new  
nests, & full  $\frac{2}{3}$  part sets a/c boys rifling nests &  
pulling them from their places. Found several  
nests unusually close to ground ~~on west~~ on  
bank, north of big bridge not ~~over~~ over  $2\frac{1}{2}$   
ft from ground in briars on orchard side. Never  
found them here before. Their presence due to molestation

1908

6. G. P. Warbler. 4 downy young with feathers beginning to show.

7. House Finch. 2 nests of 5 highly incubated was all there was in yellowthroat copse.

8. C. B. Tit young hatching. In long wide copse

9. Willow Goldfinch. 3 fresh { of briars & willows

10. B. h. Grosbeak. Empty nest no parents to it.

Boys had been along here pretty thoroughly also willows cut in previous years between here & Petersens. Birds prefer mixed thickets & not a thick growth of briars or sprouted trees. 5/20 small young.

11. W. Flycatcher, new. Parents not observed. In concave portion of willow below shrubs caused by toppling up at edge of bank. 5/20 4 eggs, small mab. 5/10/08

12. G. P. Warbler 4 very small young near west of "bamboo" grove which #38-1907 was, approximately across stream from #12 to #17.

13. C. G. Towhee! Built 2 nests & just begun. Surches up in artful hiding in briars about opposite #12. ♀ secured. ♂ not noted until return but too wary to be taken. 7/4/08 Inc. just begun.

14. Cal. Bush Tit 7 fresh to bloodshot. 12 ft up in briar along medium sized willow. 7/7/08

15. Vireo Wren. New nest lined with feathers including white duck. In box in stack on "table" side present. Empty 5/20 no birds present.

16. G. P. Warbler. 3, embryos small. 4 1/2 inches up in top of canopy of briars not directly under willows. By Baltimore Oriole & co. An empty nest close by apparently built by same pair. ~~found Oct.~~ 7/3/08 MURKIN MURKIN

17. Cat. Towhee. 4 good sized embryos. 4 ft. up in briars near field side. Parents not heard or seen. MOUNTED MOUTH MOUTH

North of Big Bridge

18. Willow Goldfinch. juv. close to bushes. MOTTLER MOTTLER

19. Sam. Song Sparrow 3 slight. Set fully complete. 2 1/2 ft up in briars. Beautiful nest surrounded with with dead, "silvery" leaves. MOSAIC MOSAIC

20. G. P. Warbler. 3 1/2 ft up in sloping canopy of briars. Nest plainly exposed. Empty & evidently rifled. MORBLID MORBLID

21. G. P. Warbler. 2 1/4 ft up in briars. 4 highly incubated. ♀ sat very close. MORASS MORASS

22. W. Flycatcher. New nest in wagon shed bank of old barn. No foot prints in sand here, yet no parents noted. Young 5/20. MONKEY MONKEY

23. G. P. Warbler. 3 fresh. 4 1/2 inches up in briars on orchard side of high bank. MODERNLY MODERNLY

24. Cr. Towhee. 4 fair sized embryos. On ground in grass under willows in rather open situation close to bank. ♀ secured. ♂ lost. Nest rather flimsy but kept a/c tanager style of lining. 2 1/2 ft up. MODERN MODERN

1908

## West Bank of Creek. Briar runner.

in poor shape on the average.

25. Cal. Towhee. 3, . . . . . 4 $\frac{1}{2}$  ft. up in thick briar  
on orchard side.

26. Al. Hummer. 2 highly inc. On double stem  
of briar, 3 ft. up, midway betw. edge of bank &  
cult. field.

27. G. P. Warbler. Empty. near big bridge.

## West Bank. South of Big Bridge

28. Cal. Towhee. 3 slight. 9 $\frac{1}{2}$  ft over creek bed  
at pampas grove. In drooping willow & wild  
rose vine. 2/308

29. House Finch I flushed off 5 own  $\frac{1}{2}$  of  
S. Song Sparrow. Didn't take it because it looked  
like work of kids.

30. Sam. Song Sparrow. 3 eggs too far inc. to  
save. 6 ft up in briar clump at top of bank.

31. Al. Hummer. On long runner shaded  
by overhang of willows. Looks as if young  
had just left & I heard a buzz that caused finding

32. Cliff Swallow. 7 or 8 almost completed nests  
on Petersens Barn. Young & highly incub. eggs 5/20.

33. I. Wren It's almost hatched. 4 $\frac{1}{2}$  ft up in  
pipe stems briars & willows in pipe stem copse.

34. Willow Goldfinch. New nest " " "

1908

35. 4/27. Cal. Partridge 6 eggs. 22 paces from dike  
along canal; in line with dead poplar at Sather's  
Pond & big eucalyptus on Lincoln Ave. 5/4 7 on  
16 eggs. Sat very close & I passed her several times  
on the search. 11/6 08

36. 5/4 Park. Wren. 7 highly inc. arms reach into  
hollow in oak N. end of croquet ground. Hatchery  
7. 5/4. Park. Wren. Small young in rotted cavity  
of limb sawed off years ago, about 10 inches diam.  
Pair raised brood higher up in same tree 1907, now  
occupied by Eng. Sparrow #38.

38. 5/4. Eng. Sparrow. 4 fresh. One broken. Blown  
for Muriel. In small narrow cavity about 10  
ft. up in oak opp. Study.

39. 5/6. Cal. Partridge. Found 2 eggs: passed along  
road on wheel & saw'd asleep & found nest by  
flushing at my return & approach. Subsequent,  
diligent search failed to reveal trace of nest. See #139

40. 5/9 Or. Towhee. 2/4 partly inc. & abandoned. On  
ground under small briar & grass under oak west  
of briar clump at corner of spud patch. 3/2/408

41. 5/9. Or. Towhee. Same pair 5/4 incubation begun  
plus 2 eggs of Cal. Partr. Showing heavier signs of  
incubation, about 85 ft. distant, in periwinkles.  
error: consequently no numbers from 41 to 51. METAPHOR METALIC 4/14/08  
51. 5/9 Cal. Jay. 40 ft up in oak over coral & brush  
lot fence, at iron hoops. Parents noisy. Took 2 5/17 with  
no eggs in her.

1908

52. 5/9. Cal. Towhee. 15 ft. up in cypress on north side of "in" shell road near redwood stump.

53. 5/9. B.c. N. Heron or Cal. Jay. Close to above & about 18 ft. up.

54. 5/10. Cal. Jay. 3 nests close together, Cypress at Rose Ave.

55. 5/17. Cal. Jay. About 30 ft. up in oak near S.E. corner of lawn. Sets taken here in former years. Didn't care to climb for it.

56. 5/14. W.W. Vireo. 4 slight. 5/10 saw parent go to nest with small caterpillar. In "eastern" oak by honeysuckle gate. 13 ft. up.

57. 5/15. Cal. Paro. 2<sup>(1 broken)</sup> dropped at random at different points along Pear Ave. Several days later in veg. garden  
58. <sup>3/10</sup> Or. Towhee. 3 fresh. Well concealed. Under broken down Tartarian limb overgrown with grass & ivy near gas house. Same number next day. 5/14 eggs gone: looks like work of a vole.

59. 5/10. West. Flycatcher. 4 slight: on rafter in left hand woodshed at big tanks.

60. Sam. Song Sp. 1/4, slight. About 15 inches up in dead grass & weeds & dock blossoms (dead). In open a few feet outside of willows.

..... of dead grass, only a few leaves: buried with fine grass.

5/12/08.

MERITE

61. Sam. Song. Sp. 3: slight in two, fresh in small runt  
which contained yolk. 9 3/4 or 10 ft. up in straight, tall  
willow in thick grove of same kind devoid of under-  
brush. This season's Grosbeak nest lined by Sparrow  
with dead grass & a few long hairs too fine for cattle:  
probably from Chinamen who may have occu-  
pied vacant shack close by recently. parenton nest.

MENTION

62. B. h. Grosbeak. 15 ft. up against trunk of tall  
slender willow in grove of same. Nest as usual.

MENACE

3, begny. 9<sup>15</sup>/<sub>2</sub> a.m. 1 on.

MEMORY

63. B. h. Grosbeak. 25 ft. up near top of tall slender  
willow with crook at nest. Cut with knife &  
broke one in unlaughing top of tree with adjacent  
one, & 2d egg so thin sheared it broke in half in blow-  
ing. Fresh. 9:30 a.m. 1 on. Nest begun with  
wild rye: otherwise construction normal.

MEMBER

64. Sam. Song. Sp. 2 eggs & 2 small young. 1 1/2 ft.  
up in dead willow trimmings overgrown with  
docks, grass resembling long pine needles, & a long  
light green clover with yellow ball blossoms. In  
open space near next grove separated by wire fence  
& rail fence forming a V at sluggish ditch.

MEDICINE

65. R. b. Thrush. 14 fresh. 15 1/2 ft. up <sup>quadrigula</sup> in, twigs & against  
trunk of tall, slender, straight willow in grove of same  
devoid of underbrush. Nest normal in construction:  
still wet some paper used & lined with this seasons brown  
willow leaves & quite a bit of grass after manner of Song Sparrow.

MEASURE

MEASURES

MECHANIC

MEDAL

MEAD

MEADWOOD

5/12/08

66. B. h. Grosbeak. Begun. 13 ft. up in tall, straight willow.

Second topic. Tree old, wide & misshapen & growth from stem up left by old men. Water of willow cannot run to east side extending to trees. Nest on south or adjacent to stand of willows in more isolated willow. Nest well out into trees. No water running so about 7 or 8 ft out.

67. Sam. Song Sp. 1 egg, 3 small young. 1 1/2 ft up in briars, dock & small poplar sapling. A very picturesque site. A nest in almost similar situation, probably same variety, still wet from shower, a few feet distant.

68. Sam. Song Sp. H, begun. 4 1/2 ft up in brush of large renewed willow. Of bright grass & leaves, lined with bright, dead grass & green, live grass. Examiner of Fri. May 8 close by. 4/4/08

69. Sam. Song Sp. 3 fresh. 12 ft. up near end of leaning limb, (in crotch), of large renewed willow. 5/3/08 Rank growth of wild carrot here. Of leaves, lined with grass & little strips.

70. Willow Goldfinch. Nest well begun. & fuzzy. 5 1/2 ft. up over rank growth of wild carrot near end of long slender down-slant willow limb.

71. R. b. Thrush. New. 3 ft. up in willow & high growth of

5/12/08.

- wild carrots.
72. Willow Goldfinch. H, small ~~nest~~ <sup>nest</sup> ~~now~~ <sup>now</sup> ~~recess~~ <sup>recess</sup>. <sup>MARSH</sup> ~~4 1/4 ft. up~~ <sup>1 1/2 ft. up</sup>  
against willow <sup>in</sup> its live twigs. Incubation slight & variable  
<sup>MATERIAL</sup>  
73. S. M. Yellowthroat. Empty & tipped considerably <sup>up</sup> <sup>MATERIAL</sup>  
~~3 3/4 ft up in stack of dry tules in waterless little swamp.~~  
Not positive whether this is Yellowthroat or Song Sparrow.  
<sup>MATERIAL</sup>  
74. Willow Goldfinch. 15 ft. up in outside branches of <sup>MATERIAL</sup>  
large, spreading willow at edge of little swamp. Did not <sup>not</sup> consider the reward worth the hard climb: not attempted.  
<sup>MATERIAL</sup>  
75. Sam. Song Spar. 2 about fledged. 14 ft up in live & <sup>MATERIAL</sup>  
dead tules in receded swamp. <sup>MATERIAL</sup>  
<sup>MATERIAL</sup>  
76. Sam. Song Spar. 3 ft. up in swamp underbrush in <sup>WATER</sup> ~~WATER~~ <sup>MATERIAL</sup>  
willow grove. Empty: partly tipped & hole in side & <sup>WATER</sup> ~~WATER~~ <sup>MATERIAL</sup>  
feathers adhering to adjacent growth, indicate a snake's work <sup>of willow tules</sup>  
<sup>MATERIAL</sup>  
77. Sam. Song Sp. H, small ~~nest~~ <sup>nest</sup> ~~now~~ <sup>now</sup> ~~recess~~ <sup>recess</sup>. <sup>MATERIAL</sup> ~~3 1/2 ft. up in dead~~ <sup>6 1/4 ft. up</sup>  
twigs of projecting willow limb intergrown with tules <sup>MATERIAL</sup>  
in tree well out into dry tule swamp. Nest of dry tules <sup>MATERIAL</sup>  
& grass. <sup>MATERIAL</sup>  
78. West. Flycatcher. Incomplete. & fussy. <sup>MATERIAL</sup> ~~9 1/2 ft up in~~ <sup>9 1/2 ft up in</sup>  
Storm rent willow sapling. <sup>MATERIAL</sup>  
79. B. h. Grosbeak. Bird on nest, 35 ft. in willow near <sup>MATERIAL</sup>  
point of beginning of this copse. <sup>MATERIAL</sup>  
80. B. h. Grosbeak. 14 ft up near top of perpendicular <sup>MATERIAL</sup>  
shoot from limble-down willow limb. Some one has <sup>MATERIAL</sup>  
recently attempted to obtain it by cutting limb with <sup>MATERIAL</sup>  
knife. I got it easily from next tree, 4 eggs, heavy except 1,  
very large egg:

5/12/08

81. M. Dove. Bird on fresh. 5 ft upon flat surface about 9 inches across of long ago storm broken willow limb. Tree among tulcs.
82. R.b. Thrush. Ready for laying. Another not so far advanced, close to it. In briars under willows.
83. L.t. Chat.  $3\frac{3}{4}$  ft. up in briars. of one variety of bright, dry & bright green grass.
84. Sam. Song Sp. H, slight.  $2\frac{1}{2}$  ft. up in long brushy arm of renewd willow at edge of tulcs. Mostly of dry tulcs & grass. 7/4/08
85. House Finch. New. 18 ft. up against big willow in grove near edge of dry tule swamp. <sup>at</sup> nest.
86. Willow Goldfinch. 5, fresh.  $4\frac{3}{4}$  ft. up on horizontal willow limb near RR track. 2/7/508
87. M. Dove. 2 begun: bird on. Same tree as #86.  $7\frac{1}{2}$  ft <sup>n/208</sup>
88. Willow Goldfinch. ♀ on nest 17 ft. up, far out in willow
89. " " Eggs.  $9\frac{1}{2}$  ft up in side branch of big willow at edge of dry tule swamp.
90. S. M. Yellowthroat. Young not able to fly over a foot or two. In live & dead grass 50 yds from R.R.
91. B.h. Grosbeak. In 2d briar patch. Nest pulled down by some one, from willow. New nest almost overhead, 9 ft. up in willow. No birds present.
92. Sam. Song Sp. 4 young.  $1\frac{1}{2}$  ft. up in briar patch #2.
93. Cat. Bush Tit. 22 ft. up in willow, almost against trunk. Didn't buy it.

5/12/08.

MANURE

94. Sam. Song Sp. 3, slight but enough to show set is complete. 8 ft. up in willow & tules. 8/3/08  
MANNAI
95. Sam. Song. Sp. 1 egg. 2 ft. up in tules & weeds in open space among large willows near main swamp. MANNAIA
96. M. Dove. 2, sub. forming. 8 ft. up against sloping trunk of big leaning willow & supported partly by twigs 20/8  
MANGIA
97. Willow Goldfinch 4, small sub. slightly variable. Eggs very small. 3 1/2 ft up in twigs of two straight willows 3/11/08  
MANDATE
98. G. P. Warbler. Some fool nosing into higher briars kicked nest over & broke eggs, about 8 in. up in 1st briar patch. 2/13/08  
MALLIN
99. B. h. Grosbeak. 3 begun. 2 2 ft. up in tall, slim willow: near main swamp. 2/13/08  
MALLADY
100. G. P. Warbler. 4 too high to save. 10 in. up in briars & "pine needle" grass on outside of 1st briar patch. 2/13/08  
MAJESTY
101. House Finch. 5, begun to slight. 8 ft. up in dead & live twigs near trunk of large willow near tules & wild carrots of this morning. 2/11/08  
MAIN
102. House Finch. fin feathered young at other end of swamp & largest willows on outside N.W. corner. 2/11/08  
MAGPIE
103. Tuft Wren one new & several incomplete in first tules this morning. Shot & lost 1 pair here. 2/11/08  
MAGGOT
- 5/20/08. Humpards Creek, Pipe Stem \$, 000.  
This place worked out by kids & practically nothing nesting.  
TIRE
104. Cal. Towhee 1 broken & 2 stale, highly incubated. 1 1/2 ft up in pipe stems & briars. Deserted.  
TIRE

5/20/08.

105. R. b. Thrush. 1 egg. Pipe Stem Grove.  
106. Sam. Song Sp. old nest of this year. Probably robbed.  
107. C. B. Tit. Young: pin-feathered. 6 ft. up in poplar sapling.  
108. House Finch. 4, 5, light slate. ft. up against willow  
trunk & supported by horiz. briar. Composed of one long  
piece wild everlasting, rootlets in predominance;  
walled with plant cotton, lined with fibers & long hair.  
<sup>3/4</sup> 08

On East bank young north

109. Sam. Song Sp. 3, fair number; of leaves, grass & hair.  
1 ft. up in dead sprig of willow & grass, on field side. <sup>9/308</sup>  
110. G. P. Warbler. Completed nest. About 7 ft up  
in briars & grass on field side.  
111. R. b. Thrush not  $\frac{3}{4}$  completed. About 6 ft up  
over margin in cottonwood with new growth  
over head extending well over creek.  
112. W. Flycatcher. 4, slight. In hollow in partly  
rotted beam of 2d bridge. ♀ taken. <sup>6/08</sup>  
113. B. h. Grosbeak. 10 ft. up in thick willows & briars  
in long copse. Nest unusually bulky, of stiff weed stems  
& rootlets. Small ant. <sup>08</sup>  
114. I. Wren Tit. 2 young about fledged. Parent pres-  
ent & noiseless. In long copse.  
115. G. P. Warbler. 4 newly hatched young. In long copse.  
116. Al. Hummer. 2 fresh. 5 ft up in triple briar &c  
pruning. In centre of long copse laterally.  
♀ taken. \* <sup>n/2</sup> 08

5/20/08

LUXURY

~~Tempas 5/20/08~~

LUSTFUL

LURID

68

LUNCH

LUNACY

LUGGER

LURE

LUCRE

LUCIFER

LUCID

LUBBER

LOVAT

LOVELET

LOUNGE

LOTION

LOGIC

LOTTY

LOGGE

LOCKET

LOCKER

LOCAL

LÖBSTER

LÖBBY

LÖAM

117. Will. Goldfinch.  $\frac{2}{5}$  ft. up in willows & briars  
in long copse.
118. Will. Goldfinch. 12 ft. up in cottonwood in thick  
briars. Not investigated.
119. I. Wren Tit. 4 ft. up in briars under willows  
Looks misshapen & abandoned. Close to creek.
120. R. B. Thrush. 3 eggs. Laid. 12 ft. up in cotton-  
wood & briars.
121. W. Flycatcher. Has <sup>slight</sup> ~~nest~~ on wooden washer  
for iron brace under big beam of bridge.
122. R. B. Thrush. 4 fresh. In willows & briars  
past big bridge.
123. G.P. Warbler. New nest  $2\frac{1}{2}$  ft. up in briars  
well toward end of route.
124. C. B. Tit. small young. 10 ft up in cottonwood  
on edge of bank.
125. G.P. Warbler. Has slight one infertile. 10 to 12 in  
up in edge of briar clump in typical situation with  
willows on either side.
126. R.B. Thrush. 4 fresh. 7 ft up in willows & briars  
close to #125.
127. I. Wren Tit. Close to big bridge: field side. Nest partly

5/20/08

tipped & deserted. Two eggs fresh - one dented. Only 15 inches up.

128. G. P. Warbler. Empty. Close to #127. Very small nest.

129. R. b. Thrush. 2 ready for hatching.

130. Sam. Song Sp. 2 eggs. Quadruple crotch of live willow among briars. 8 ft up near edge of bank.

131. Al. Hummer. Brood gone. 5 ft up over margin in briars.

132. Sam. Song Sp. 3 small m. 8 ft. over margin in drooping nettle from willow that had many renewed shoots upwards.

133. B. h. Froseback. 2 young, feathered. 9 ft. up in willow near Petersens across from Pipe Stem Grove.

134. 5/22. W. Flyc. on ivy under eave at rear of coachman's house. Contained young.

135. 5/22. Yellow Warbler. Eastern oak opp. coachman's house. 5/25 5 eggs. <sup>2</sup> <sub>3</sub> <sup>4</sup> <sub>5</sub>

136. 5/24. W. Flyc. 5 highly incubated in logans in back yard, against west fence. bat destroyed it with small young.

137. Tule Wren <sup>to</sup> Heerm. Song Sparrow. Bentz brought me nests <sup>to</sup> eggs for identification ex Stockton Ranch.

138. 6/2 Or. Towhee. 3 eggs. Under fallen oak limb below shell roads: east of 3 cypresses where hummers used to nest.

1908

LIZARD

139. Cal. Partr. <sup>6/3</sup> Reformed nest #39. Found 12 eggs.
- A young turkey got to close to her & she chastised it & brought its mother to the rescue. Very well hidden.
140. 6/5 Cal. Bush Tit. Old. oak n.w. of tennis court.
141. 6/5. Or. Towhee. 3 young. Under limb of brier covered oak next to above. " " where it touches ground.
142. 6/8 W. Fly. 3 young. In decayed hollow of sawed off limb of oak N. of elms going toward b. alley.
143. 6/8. Cal. Partr. 17 highly incub. plus 1 infertile runt. Found by Muriel, between road & yard 3 <sup>ft</sup> 4 <sup>in</sup>.
144. 6/10. Cal. Partr. Found by Muriel. Grass in back field about in line with fallen oak on pasture fence to a point betw. N. & E.
145. 6/10. Cal. Partr. Found by Emilie. 12 eggs. In summer squash in veg. garden.
146. 6/10. Cal. Partr. 4 stale. In grass by emilie house oak.
147. 6/10 Or. Towhee. begun. Under oak & small locust "sucker". Close to #138. Abandoned for 148 close by; 6/19; 3 eggs.
149. 6/14. Cal. Partr. 14 eggs. Found by cleaning up garden at Edgars.
150. 6/18. W. Fly. 2d laying in nest #134

1908

151. 6/25. Cal. Partr. 11 eggs - 1 broken. Collecting fallen limbs: boy picked up small pine limb under pines N. of tennis & bird lookout.
152. 6/25. B. h. Grosbeak 2 eggs. Same 3 days ago. In small oak on N. side of steel road NE of 7d 2.
153. 6/25. W. Fly. 4 eggs. In pit in live limb: big oak west of above. <sup>1160</sup>
154. 6/25. Cal. Scr. Owl. 3 highly inc. Old site. Back of S. Smith's. <sup>1160</sup> ~~nest~~ <sup>old</sup> ~~2nd~~ <sup>ed.</sup>  $\frac{1}{2}$ .08
156. ~~7/4~~ <sup>1</sup>/<sub>2</sub> 4 begn. In nest #142. 2d laying <sup>7/7/08</sup> <sub>89</sub>  
*West Flycatcher*
157. 7/30 Cal. Partr. 14 apparently fresh <sup>8</sup>/<sub>2</sub> deserted. ~~front of 7d 2~~ in grass between 2 wagon trail; center of Lincoln Ave. a little east of bike trail.
158. 6/14 B. h. Grosbeak, new. About 15 ft. up in small oak by forks of steel road south of scrubby catalpas.
159. 7/27. R. b. Thrush 4 young about ready to leave. Dry back of coke shed, under overhanging ivy.
160. 10/7. Cal. Jay. Old. In largest N. F. Pippin between R. J. Greenings & Bernains.

Index 1908. { Howards 34/2. 103 1/2  
Niles 59 1/2 LICENSER

Black-crowned Night Heron. 53.

LIBRARY

Cal. Partridge 35. 39. 57. 139. 143 to 146. 149. 151. 157.

LIBRARY

Mourning Dove. 81. 87. 96.

LIBERTY

Cal. Scrub owl 154.

LIBERTINE

Allen's Hummer 3. 26. 31. 116. 131.

LIBET

Western Flycatcher 11. 22. 59. 78. 117. 121. 122. 134. 136.  
142. 150. 153. 156.

LEXICON

Cal. Jay 57. 58. 55. 160.

LEWD

Western Meadow Lark 1. 2.

LEVITE

House Finch 4. 5. 7. 29. 85. 101. 102. 108.

LEVET

Willow Goldfinch 9. 34. 35. 36. 37. 40. 72. 74. 86. 88. 89.  
90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118.

LETUCE

Kerrmann's Song Sparrow 137.

LESSON

Samuels Song Sparrow 14. 30. 40. 61. 64. 67. 68. 69.  
75. 76. 77. 84. 92. 94. 95. 106. 109. 130. 132.

LENIENT

Oregon Towhee 13. 24. 40. 41. 52. 58. 138. 141. 147. 148.

LEMON

Cal. Towhee 17. 25. 28. 104.

LEISURE

Black-head Grosbeak 10. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 91. 99. 113. 133.  
152. 158.

LEGION

English Sparrow 38. m " "

LEGEND

Cliff Swallow 32.



LEGACY

West. Warbling Vireo 56.

LECTURE

Yellow Warbler 135.

LEAKAGE

Gold. Pileolated Warbler 6. 14. 16. 20. 21. 23. 27. 98. 100.  
110. 115. 123. 125. 128.

LEAVELT

Salt Marsh Yellowthroat 73. 90.

Index 1908

Long-tailed Chat 83.

Vigors Wren 15.

Parkmanns Wren 36.37.

Tule Wren 103.137.

Intermediate Wren Tit 33.114.119.127.

Cal. Bush Tit 8.14.93.104.124.140.

Russet-back Thrush 65.71.82.105.111.120.126.129.159.

1907.

1909.

21. Hell. Gull. 2/3 in willow
22. L. B. Cat. empty
23. Frostback 2/3 in sprouts <sup>cotton.</sup> in willow on west bank  
near big bridge. 1 n/309
24. H. Puff. 2/3 " usual after in old wagon shed  
back of Peterson's. n/409
25. L. Warb. 4 young.  
26. " " " 2/4 n/409
27. La. Towhee. Nest. Briar hedge. West bank,  
when turning back.
28. W. Summer. Cambas Prov. 2/n/y gone!
29. " " " " 14 1/2 (hatching)
30. " " " " n/p 3/n/209
31. Pet. Warb. " " 2 new. 3d 1/2 hatched.
32. W. Summer. Wet stream on cottonwood 2/n/209
33. " " " deep, " in briar. Nest hatched.
34. Sparrow. Young ab. to nest 5/209.
35. Hill. Gull. Boat ton. . . . . Peterson's.
36. W. Summer. 2d year. n/p. 4/n/209
37. Finch. n/a. " " " " " " " "
38. W.W. Vireo. nest too far to save. Hard job bending  
limbs so female could get nest. Near Peterson's.
39. Buff. swallow is too far gone. Think 1 more nest on  
Peterson's barn.
40. Cat. Towhee nest. 1 nearly hatched. Peke Steinman
41. R.b. Thrush 2 begin, along route.

42. Ho. Finch. Small going to new nests along & etc.  
LAPPIE
43. " " " m. - Pipe Stein Cricket 2/14/09 60/40  
LANTERN
44. " " " 7/5 " " 60/50 6/1  
LANGEAGE
45. 5/5. W.W. Vireo. Very young 88 days. Long spray  
of oak, about 20 ft. up. ♂ just singing apparently.  
when young were hatched.  
LAMENT
46. 5/10. W.W. Vireo. About 12 ft. up in G. oak & off.  
coachman's house. 5/20 4 6/14. 60/40 LARKE
47. 5/10. Cal. Towhee. 24 1/2 about out. Small flock  
on fork of south shell road.  
KNOKKER
48. 5/10. Nat. Ray. nest. Oak by watchman's house.  
KNIGHT
49. 5/10. Gr. Towhee. Young 1/2, under plumage  
beet pile by rose ve. Found b. Em. & H. Found  
found nest hereabouts before the fair present  
season. Last got it day or two later.  
KNIFE
50. 5/16. Gr. Towhee m. Brood under bat. 2/14/09 60/40 KING
51. 5/21. W.M. Lark. 4 stale & partly incubated. Found  
by Geantte. about centre of Petersides. 2/29 KINDBRED
52. 5/21. Cal. Partr. 14 N. of marshy hill. on  
purple buckin bush. 2/14/09 KIMBO
53. 5/30 W.M. Lark. 4 hatched next day. Two con-  
tained 2 quail eggs. W. of old cowshed site.  
KESTREL
54. 5/30. W.M. Lark. 1 shell, sucked by cypress row  
in meadow & one near base by wet field.  
KETTLE
55. 6/8. Cal. Partr. 10 good bl. 3 jay pecked in hay  
field near base 200 yds east of aster bank. Jaws to Ed.  
Hansen to hatch.  
KEEPER

1709

53. 6/9. <sup>4</sup> H. Couchee ad. set. yd 3. near #50  
54. 6/12. Cal. Partr. 3 fresh. Exceedingly concealed  
in leaf dry grass under a tree back field about  
1/2 way along road & near it.
55. 6/25. <sup>4</sup> H. Couchee. ad 24. Found by Emilie
56. 7/11 N. N. Pwice. m. of large young. Found by  
Gordon Cunningham. About 8 ft. up in catalpa  
tree near 2 shell roads.
57. 7/11. H. Couchee. Young. was <sup>grass</sup> in yd 4 = 3d  
west of #50. Found by Gordon Cunningham.
61. 7/26 Val. Partr. 11 fresh. In levee, near base,  
south side opp. corn patch. Turned them over  
Viera over to one another. Ledgerly.
62. . . . P. L. P. man. 1/2 ft. at fence of  
corn or "milk" field. A cow to a trough.  
Waded for corn hole bottom more & cut this ex-  
cept next ad. 1/1709
63. Nov 7. Nest of old shells (hatched) In depression betw.  
mush room hill & High St. Found by Emilie & me.

JUVENILE

JUSTICE

JURIST

JUNIPER

JUNCTURE

JUMPER

JUMBLE

JULIE

JUICE

JUGULAR

JUDGE

JURILANT

JOYFUL

JOURNEY

JOSTLE

JOKER

JOINT

JOCKEY

JOOCOSE

JILTED

JEWEL

JESUIT

JESTER

JERRIN



1910. No Index this year.

1. 4/3. B.c. N. Heron (with Storer) cypress west of that by green summer house one set 3, one set 4, 2nd set of 3. **JELLY**
2. 4/3 Same. Only 1 egg in nests in cypress by gate, usually good for a lot. **JAVELIN**
3. 4/3 Same. Set 4/3 8<sup>th</sup> cypresses on spell road, from back road. **JASMIN**
4. 4/20. C. B. Tit. small young, just out. 8 ft. up. oak betw. back road & road to bull pen. **JAPAN**
5. 4/24. C. B. Tit. young half grown. 6 1/2 ft. up in thick hanging branches of oak by lamp post at edge of old lawn. **JALAP**
6. 4/24. Cal. Jay 25 ft. up. centre of brush lot. **JACOBS**
7. 4/25. Or. Towhee. On ground. briars under oak W. end of rd 3. **JACKAL**
8. 4/26. Barn Swallow. 2 nests over front door on McBarney's inclosed porch. She says lights turned on at night & bird stays on nest. **ITALIAN**
9. 4/29. Cal. Scrub War. 2 eggs. Usual site opp. Smith's. 5/5 took set of 4. **ISTHMIUS**
10. 5/8 Cal. Partr. 178. Briars under oak W. end rd 3. 5/16 192. **IRRUPPTION**
11. 5/8. Al. Hummer 2 fresh. Dog 4 ft up behind coachman's house. **IRONICALLY**
12. 5/11. Or. Towhee. 15 in. up in quail briars. **IRISH**
13. 6/6 Cal. Partr. 10 eggs. Foot of astrachan by well. **IREFUL**
14. 6/25 Cal. Partr. 10 stale. Some hatched. At poston back road near cypresses.

1910

15. Dec. 5. Cal. Partridge. Shells of hatched eggs.  
In sandy ground, in bunch of grass about  $1\frac{1}{2}$  ft.  
diam. 80 ft. from High St.  $\frac{1}{4}$  midway between  
bridge & Boulevard. Same or almost same location  
as #63, 1909.

16. Cal. Jay old nest found in fall: big burrow over  
plain etc.

1911.

HODINIE

1. 2/23. Cal. Bush Tit. About 9 ft up in acacia near  
 N.E. cor. Sherman & Dayton, over sidewalk. Last year  
 nest in next acacia. Perry Fox found them building  
 nest in good stage of completion. Feb. 8. Boys got it later.  
INVASION  
 2. 3/27. Cal. Jay : begin. Small oak north of "long  
 berries." INTERSTATE  
 3. 3/27. Cal. Jay : begin. Thick oak opp. fallen oak on  
 pasture fence) in back field. INTERLUDE  
 4. 4/3 Cal. Jay. H fresh. Red phase. 28 ft. up in oak  
INTERIM  
 5. 4/3. " " large new nest. Hoff up, oak opp. Palmer's.  
INTENSE  
 6. 4/3 B.C. N. Heron cypress by gate. ~~108532~~ INTEGRITY  
 7. 4/3 Do. INSULT  
 8. 4/3 Do. INSULAR  
 9. 4/3. Do. INSTINCTION  
 10. 4/3 Do. Cypress near summer house. 4 eggs  
INSTINCT  
 11. 4/3 Do. INSPIRE  
 12. 4/3 Do. INSIGNIA  
 13. 4/5 C.B. Tit 10 ft. up. East side oak in center  
 of horse coral opp. brush lot. INSECT  
 14. 4/5 Cal. Jay. Begin. Cypress by various old trees  
INSANE  
 15. 4/5 " " Complete? Oak, oder fountain  
INQUEST  
 16. 4/5 " " never completed. E. side g. g. h. oak.  
INMATE  
 17. 4/22. C.B. Tit. about 8 ft up in oak west chkn rd.  
INLET  
 18. 5/7. W.W. Vireo about 16 ft. up in E. oak opp. coach-  
 man's house. INK  
 19. 5/7. C.B. Tit. oak by tennis court.

1911.

20. 5/24. Vireo Towhee. Fresh in grass by brack, on ground, at north side (about middle of east to west line) of clump about leaning oak, or pasture fence.

21. 5/25. Vg. Towhee. Fresh. On ground under small dead limb at south end of grove west of tennis.

22. 6/4. Cal. Partr. 16♀ partly incub. Found by Dick Wood at edge of brack clump in V. Ave. grove.

23. 6/8. Cal. Partr. 8♂ edge of junk pile in brush lot. Water deserted after throwing eucalyptus rubbish over it

24. 7/11. Cal. Partr. ~~10/18~~ <sup>10/18</sup> ~~3-10/19~~ <sup>3-10/19</sup> ~~19~~ Bleached shells in post. Licked against oak N. W. end of brush lot.

25. 7/14. W. Fly. Bird incubating 2 eggs about 5 ft up on locust near east end of double row. Nest where part of tree had split down ~~had~~ been removed.

26. 7/25. Cal. Partr. 12 eggs about 1 week from hatching found by seeing & fight turkeys. Put them under chicken & she ate them when hatching.

27. 10/9. Cal. Partr. 6 or 7 white-bleached eggs in tough grass near tanks, east side.

28. 10/9. Al. Hummer. Old nest fallen on north side of cypress south of north shell road. Well stuccoed & shaped with cypress bark ~~by~~ cobweb.

29. Jan 29/12. R. b. Thrush. 4 ft up in small elm among a small woods of same, under big cypress at S.W. end of croquet.

30. Feb 7/12. Cal. Towhee: old. 22 ft. up in Baltimore Bell E. oak by well.



1917.

1. 5/21. Parkman's Wren. 5 eggs. W. Ham lowered them in basket (in cup of bran) & my pipe came apart & broke. In Cal. Woodpeck. excavation about 30 ft up in stub of twin oak by back road.
2. 5/21. Cal. Woodpeck. Big oak in grain field. Bird continually flying to this tree & calling. Found a hole partly dug. Must have eggs somewhere. No increase by Sept 29.
3. 5/28. Ft. Towhee. 3 eggs. Briars under oak at end of rd. Caught 2 in jaw traps Apr-May, close by.
4. 5/21. Cal. Scrub owl. Old nest by Smith's empty.Flushed owl from empty hole about 50 ft up.
5. 5/8. Ft. Towhee. 2 eggs & bird on. In new growth briars at leaning oak; pasture fence. Oak & briars cleared out last winter.
6. 7/4 Cal. Partr. 152. slight. Under pine stump by buried oak by Lewis. Caught ♀. No hole for her to escape through.
7. 8/16 N. Chip Sparrow. Mu? Under sickles by astr. Looks like some boys tore it down.
8. 11/18. Cal. Partr. hatched. 20 ft. N. of wire, on m.r. ground in pasture, & opp. meeting of Anjois & G. Moreaus.
9. 11/18. Cal. Partridge: hatched. Close to V. Ave. picket fence.
10. 12/15. Cal. Partridge. Eggs probably destroyed by horse. In scant briars under <sup>large</sup> twin oak, V. Ave. grove

INCOGNITO

INCISION

INCH

INCESE

IMPULSE

IMPOST

IMPERIAL

IMPACT

IMPERCILLE

IMAGE

IGNITE

IDOLATER

IDIOTIC

IDIOM

can

of getting to

cur

IDEA

ICICLE

6

HUSSAR

HUSBAND

HUNTER

HUNGER

HUMP

HUMOR

HOUND

HOSTILE

1913

1. 3/28. Flushed W. M. Lark off 2 eggs. Lived in straight line from damsons. Apt 2 4 eggs + bird on.
2. 4/6. Cal. Towhee. New. Under oak in oats next to Morgansterns.
3. 4/19. House Finch. New, in logans about 4 1/2 ft. up near Soltanis.
4. 4/19 Cal. Towhee. 1 undersized egg on ground below above nest.
5. 4/20. Cal. Partr. 9 e. In brush overgrown by periwinkle about opposite well in astrachans
6. 4/20. C. B. Tit. In oak south of barn. Didn't investigate it.
7. 4/20. C. B. Tit. In holly tree at Boices, cor Versailles & Lincoln. It disappeared about 8 or 9 days later. Boice kids said they never knew of it.
8. 4/20 Cal. Towhee. In Edith's lot. Didn't investigate.
10. 4/20 " " S. of barn. " "
11. 5/8. Cal. Partr. 7 e. Ivy fence opposite front of coachmans.
12. 5/11. W. Sav. Sparrow. Flushed ♀ off 3 eggs. 9 paces <sup>NNW</sup> from 1891 locre running S.W. to N.E. in meadow. Near where Bryant was taken years ago.
13. 5/15 (Cal. Partr) + Or. Towhee. 4 Towhee + 1 Partr eggs. Briars under oak in yd 3.

## HOSTAGE

14. 5/18. b. S. Lt. 14 ft. in oak in yd. Young have gone.  
HOSPITAL
15. 5/18. Cal. Partr. 6 eggs & feathers. In scant brush at  
south end of Vt. Ave. Grove. Eggs over  $\frac{1}{2}$  hatched.  
HONOR
16. 5/18. Cal. Partridge 3 eggs entire & about  $\frac{1}{2}$  broken  
& lots of feathers. In thistle weed in meadow N. of boulevard.  
HONOR
17. 5/18. W. M. Lark. 5 heavy. In grass & thistle weed  
near above.  
HOLLOW
18. 5/18. W. M. Lark 1 infertile & 4 small young which  
cat got? by 5/25 or sooner. Near above.  
HOBK
19. 5/18 W. M. Lark 4 freaks: stabs. In low grass,  
about centre of meadow pasture.  
HISTORY
20. 5/18 Nest. ~~Fig.~~ 1 fresh. Gnarl in cypress south  
of bowl alley. About 11 ft up. Brood probably raised.  
HERETIC
21. 5/18 House Finch & flushed 20 ft up Elm & cypress.  
HERB
22. 5/18 Vt. Towhee: new: 2  $\frac{1}{4}$  ft. brush. Vero. Ave.  
Grove. 6/8 4 eggs. Is this the same one?  
HEMLOCK
23. 5/21. Haywards Creek with Stroupe  
from Bridge at car line to Peterson.  
HEAVEN
- HEATHEN
- HAZEL
- HAWK
- HARSH

1913.

- , 23. 5/25. West. Fly. new. drain pipe on N. side  
wachmans house.
- ; 24. 5/25. R. b. Thrush. About done. 4 $\frac{1}{2}$  ft. in ivy  
between buckthorn & honeysuckle gate fence.  
Think I went back later & saw 4 eggs.
- , 25. 5/25. Cal. Partr. near canal. In line with  
poplar at Sather's Pond & eucalyptus on Lincoln.  
10 eggs. 6/8 only 6 eggs.
- , 26. 5/27. Cal. Partr. 4 $\frac{1}{2}$ . Briars, N Av. Groov.  
6/8 to Thos. Benton 202.
- , 27. 5/28 Cal. Partr. 1 $\frac{1}{2}$ . east side of clothes jd.  
fence, in periwinkles.
- ! 28. 6/3 Or. Towhee. 4 $\frac{1}{2}$ . 3 $\frac{1}{2}$  ft. up in logans  
near Soltaus. Same pair as #2.
- , 29. 6/3 House Finch. Think this is nest #3 that  
was lining stolen & repatched. 3 or 4 young.
30. 6/8. b. B. Tit. Eggs well advance. oak opp.  
Studey.
31. 6/8 Cal. Partr. ♀ on about 15 eggs. Briars west  
of bull shed. Brood hatched.
32. 6/13. Cal. Partr. Abandoned 19 eggs. Briars at  
base of locust S.W. cor. of old beet & carrot field.
33. 6/15. W. W. Pewee. Young. 28 ft up in young  
pine west of tennis & about 12 to 15 ft. from tree

1913  
6/15. 34. ♂ T. Towhee. 4 eggs. 1 ft up in briars against HARRP  
barrier's barn. bats can't get into patch which is HARNESS  
6 ft. across. Don't know whether brood escaped. HARLOT  
35. 6/19. ♂ Cat. Towhee. 3 eggs 4 1/2 ft. up in briars in jd 3. HARMON  
day or two later found lining torn out & no eggs. Jays? HAMMER  
36. 6/22. ♂ Cat. Partr. Wild rye & sugar beets near Peas HATTEB  
Cvr. 15% about half to 2/3 hatched. HACK  
37. 10/1. W.W. Pewee. Old. In R. J. Greenings GULP  
with Harry to ranch up sequoia road. GUNNISON  
~~38. 5/15. Song Sparrow: bird supper off western grass over red GUINEA  
stems on grassy bank of creek. near bridge. Song sp.~~  
~~39. 5/15 Al. Hummer nfr. 2 ft up in briars & 1 ft. inside GUARD  
on steep bank near about. Built here 5/29. to 1 day.~~  
~~40. 5/15 ♂ Cat. Jay. C4 fresh. 25 ft. up in giant oak. " "~~  
~~41. 5/15 R.S. Flicker. C5 fresh. 18 ft. up in dead butt GRIFFIN  
of alder in creek bottom. on old house. 11/5 axed 5/29.  
Harry used crows for this. built very & hasty.~~  
~~42. 5/15. West Flycatcher. Broken by two birds to nest GRENADINE  
on horizontal beam under plants of arroyo briar.~~  
~~43. 5/15. ♂ Bush Tit. Old & torn. Oak over trail.~~  
GOSPEL  
~~5/19 with Harry to Stivers swamp via Route Newbury & Scott. GOOSE~~  
44. Brewer Blackbird: 2 sets of incubated eggs Harry  
took. Some nests contained small young. some not ex-  
amined. In grove (now dry) where in 2 ft. water I  
took Green Heron 96. GONIONE  
45. M. dove. 2 eggs. In old timer's nest 1 ft up in willow



1914

GNAASH

1. 4/30 Cal. Partridge: 1 egg south of Anyioe Barns.  
GLUTTON

2. 5/6. D. Spar. Hawk. in gas house! 1 egg cracked  
as if boiled & cal. infertile specimens. 5 eggs. W.H.  
Hoffman climbed for them.

GLOVE

GLORY

GLORIE

3. 5/6 Cal. Bush Tit. "Dining room" oak

GLOBE

GLEAM

4. 5/6 Cal. Bush Tit. Oak west of tennis

GLOSS

GLANDERS

GLANCE

GIRTY

5. 5/6 Engl. Sparrow. 4 young in hollow in small  
oak N.W. of above.

GIRT

GIPSY

6. 5/6 Cal. Partridge. 20 eggs. In grass near palms  
& lavender in south end of east garden.

GIFT

7. 5/6. House Finch. 4 eggs: in palm by garden gate.  
Eggs full & broke. About 25 ft. up.

GIBBET

GIFT

8. 5/6 B.c. Night Heron fresh eggs to large young  
colony bigger than ever.

GIGANT

GERMAN

9. 5/15 Dr. Towhee. 4 eggs. Briars in yard J.

GERM

10. 5/22. W.W. Vireo, <sup>don't</sup> in eastern oak by honeysuckle  
gate. Nest on west side of tree. Giant took into it.

GENIUS

GENEBAU

GEM

11. 5/22. Dr. Towhee. In low grass a few ft. N. of bull  
pen.

GASCON

GARLAND

GARTER

12. 5/22. Dr. Towhee 4 eggs. Low at end of rose ar.  
under small oaks. First set took here. Peri-  
winkle all destroyed by horses.

GARTER

GARLAND

GARTER

13. 6/7. W. Flycatcher. 4 eggs. cypress

1914

14. <sup>6/7 ft.</sup> Towhee. 3 eggs. Druars in grain field near site of "fallen" oak.
15. 7/12 B.t.h. Grosbeak. ♂ on. Pear over apple sorter.  
Legl. Partridge
16. 1/25/15. 3 old eggs in hot house while taking it to pieces.
17. R.b. Thrush, 1/30/15. By my window in stable. In syringa. Used lots string, muslin & rags.
18. Yellow Warbler. 1/30/15. In quadruple crotch of small oak at edge of driveway front of bowl. alloy. Looks 2 yrs. old.
19. Same. 1/30/15. Last seasons. 2 oft. over road, in elm by veg. gard. tank.
20. B.-c. N. Heron 1/30/15. 3 or 4 old nests in locusts near turkey roost oats.

- 1915.
1. 3/25 Shells of hatched B. c. N. Herons under several trees. GARBAGE
2. 4/25 Cal. Partridge, 1st egg. Bravos <sup>5</sup> Chickens <sup>5</sup>. GARBAGE
3. 4/30 Cal. W. Tit. Nest in small oak, back road at <sup>rd</sup> 3. GALLIOU
4. 4/30 " " " Large young, lit. up, oak, rd. GALLIOU
5. 4/30 " " " Egg in hen's nest, brars back road at <sup>rd</sup> 3. EMISSION
6. 4/30 Cal. Partr. 1 egg in hen's nest, brars back road at <sup>rd</sup> 3. EMISSION
7. 4/30 W. M. Lark, 5  $\frac{1}{2}$  a Cal. Partr. In meadow. EMISSION
8. 4/30 Or. Towhee, 4 eggs. Dry & bare willle opp. Rd. Greenings. EMISSION
9. 4/30 Cal. " " with yolk on them: looks like an original set of 5. in small corner oak east end Rose Cir. EMISSION
10. 4/30 Drs. Spar. Hawk. 5 eggs. orch. gas house. FROZEN
11. 5/1 Cal. Jay.? BROWN
12. 5/6. Cal. Partr. 4 eggs. S. of ditch fence. FROG
13. 5/6. C. B. Tit. Young. Small oak NE of owl oats. FRITTER
14. 5/7. Cal. Towhee. Young. Brars over road, rd. 3. FRINGE
15. 5/13 Killdeer. Found just in rear of old fence. FRIGATE
16. 5/16 W. Flycatcher. East prars cypress near rd. 3, road across from end of Y. Hiz. Hwy. FRIGATION
17. 5/23 Rusty Long Sparrow nesting near rd. 3, Hwy. FRESCO
18. 5/23 W. W. Vireo. Found on Eastern oak by creek. FRECKLE
19. 5/25 Cal. Jay 3 eggs. Old site of nearer, probably <sup>old</sup> FRACTIION
20. 5/23 " " 1 egg. Large asturian 5, 25 in depth & long

1915  
21. 5/23 Cal. Partr. 17 & Pöllman found 3 eggs. Pear  
tree, brilliant red & rains.

22. 5/23 Cal. Partr. 1 by ditch, near High St.  
23 " " 15 eggs " " " "  
deserted & soggy after rains.

24. 5/23 Ft. Towhee. 4 eggs. 2 weeks ago. Brars &  
grass w. of f. ally.

25. 7/6 Cal. Partr. 17 eggs in squash & volunteer  
squash west of site of old house. Slept on nest & broke some  
eggs.



9.6 Rock. We figured to start season for eggs & didn't go down the hole.

10. Rusty R. Owl. Bird flushed from small horizontal cave in east base of Falcon Rock & perched in a chasm. See Hosford attached to rope brought in a bucket & I bin - egg. Harvey La J. raised the net which carried many ticks.

Hawards Creek, 4/22/16

With H. LaFreniere

9. R. S. Flicker: bird flushed twice: top of dead alder on steep side-hill bank above Hawards High School. Roped tree but too wobbly for safety: so gave it up.  
10. A Plain Tit with food in bill close by.  
11. B. Kingfisher " " " " " "

Dry, original course of creek near Petersen  
Creek deviates S.E. 150 yds. N. of house

12. West. Flycatcher: 4 heavy: 4 $\frac{1}{2}$  ft. up against side of poplar 1 ft. diameter: just foundation a dead twig about size & length of small nail: well surrounded by trees & brush  
13. House Finch: a lot of empty, refld nest: probably Petersen boy's work: further along some from building to feathered young. Took 2 sets of 4.  
14. Cal. Towhee: n/3, heavy. 4 ft up in crotch of horizontally inclined large willow & hardly hidden by growth of adjacent vegetation.  
15. Cal. Towhee: empty nest. In briars

16. M. Dove: 2 young; larger of which flew away, 100 ft.  
15 ft. up in tangle of willows in dry bed. Nest barely visible  
from below. In excess of an early record.
17. B. L. Grosbeak: new nest; along creek, in brushy willows.
18. Al. Hummer sp.; hard enough to blow. 4 ft up on  
blackberry runner in thicket in dry bed.
19. W. W. Vireo. 10 ft up in "elbow" upright small limb of  
crooked willow on outside west side of dry bed. Stood on tree &  
but layit over but eggs fell out.
20. S. Song Sparrow took 1 + 2 + 3 + 3 to ~~all~~ 10 ft. found 2 nests  
of young & a third with small tree up growing.
21. G. Pil. Warbler 1 + 8 taken. In pocket in dry bed.
22. " " " 1/4 " " " " "
23. " " " 1/4 8 taken " " East side further up.
24. 4/23 Gr. Towhee: new; on ground among low st. br. &  
under oak in 3d. 3 ft. ~~4 ft~~ 3 ft. FIRE
25. 4/23 Brewer's Blackb. about 3 our nesting in pine mst.,  
FIRE EUDAL
26. " " " " 10 " " Other sites.
27. " B. B. Yt. Young. Ft. in oak over wire fence.
28. \* Cal. Partridge. 1 1/2 ft. small, low down in big  
V. Ave. close to Yerom cypress. Later, no more birds.  
random eggs, that's all.
29. 4/23 Gr. Towhee: new. 3 ft. in thickest br. by big  
turnip st. Vero. Ave. Grove. Later, deserted.
30. 4/23 B. B. Yt. 15 ft up in "inside" of big oak across Ave.  
Ave. farm. Later, empty.

- 916  
31. 4/23 Cat. Towhee. 4 eggs 4 $\frac{1}{2}$  ft. in briar clump w. of  
"Alley. Later hatched; saw "futterers".
32. 4/23 Cr. Towhee. 4 eggs. 4 ft. in above clump. 10 other  
young; later young prematurely gone. Cause? See #30
33. 4/26 W. M. Lark: egg shells; near canal. Weasel?
34. " W. Sav. Sparrow: bird with food in bill. Near canal
35. 4/27. Ho. Finch 5 fresh 5 ft. up in bottom sprig of pine  
dead. 3 others later in similar situation in this tree  
+ probably a lot higher up. The needles afford almost  
total concealment even when near enough to reach.
- 4/30/16 Ironington Swamp -  
4 hours at midday with La Guiness. Worked heavily from East side + extreme west - to edge of pond.
36. B. L. Grosbeak. ♂ on 25 ft in spiny willow. Had to  
cut tree down. Only 1 egg.
37. c. M. Yellowthroat - + fresh edge of west grove + tufts  
among tufts + dead weeds. 1 ft up.
38. Same. 1 new empty; in hole; 1 ft. up.
39. Same. 4 young; 3 days old; 1 ft. up.
40. Same. 4 " half feathered; 1 ft. up.
41. " 4 heavily incub. 1 ft or less up in dead weeds  
+ briars at edge of briars.
42. Anna's Hummer up, slight. 20 ft up on small  
old mossy willow. A hard climb up the adjacent tree  
+ had to pull nest tree over.
43. West. Fly catcher. n/3 fresh. 6 ft up in splintered  
break of live willow.

- 1916
44. Willow Goldfinch: n/a; ntr; n/o; n/o. **FELONY**
45. Sam. Song Sparrow: n/a 2<sup>1</sup>/<sub>2</sub> ft. bushes. **FELINE**
46. Same; n/a; n/o; 4' y; 4' y. **FEEBLE**
47. Green Heron; not climb by: about 7 ft. against straight willow near pond. **FEDERAL**
48. Tree Swallow: new nest; 7 ft. ab. in willow at edge of pond. **FEATURER**
49. Same: 6 fresh; 3 taken! 7 ft. up in weeping live oaks. **FEAST**
50. Same: new nest; 12 ft. up in weeping black willow at edge of cause. See #64. **FATIGUE**
51. F. S. Tucker: bird flushed off & fresh. In same tree as #50. Had to cut down with hatchet & reach through. **FATHOM**
- 5 more. See #65 **FATIGUE**
52. Al. Hummer; young gone. One brood in progress. **FANTASY**
53. 5/7 b. B. Cat 8' ft. small oak w. of oaks w. of tennis young. **FAMILY**
54. 5/7 Sal. Towhee 22 ft. big oak Ethel's lot. Empty. **FALLOWS**
55. 5/7 " " 16" oak 125 ft. E of Pearl: broken, 5/10 gave La Junesse n/p almost fresh. **FALLACY**
56. 5/7 Cal. Jay. 9 ft. oak in Edith's lot. Abandoned. **FALSY**
57. 5/7 Cal. Screech owl. 2 breast feathers under rot where took sets before, by Smith's. Nothing in usual hole. Must be high up in north snag. **FAGOT**
58. 5/7 Cal. Partridge. 125 y near canal, in fine with bowl, alley kitchen! Week later, nothing. **FACTORY**
59. 5/7 Cal. Jay. Incomplete. 2d bushy duckers, near N. of Bradshaw. 5/7 8/16 fine n/6 to La Junesse. **FACTORY**

- 1916  
60. 5/13. C. B. Tit. n/a to La. Jeunesse. Reached from edge of road in auto. from oak opp. old honeysuckle fence.  
61. ————— 5 10/16, at Brazels —  
61. Cliff Swallow: about 25 pairs nesting 30 ft. up on banks. Too early for eggs.  
62. Brewer's Blackbird. 2 n/a, Harry + r/p young to - out to their nests in giant weeping willow.  
63. Bell. Crake. n/a about 18 ft. in above tree. Stood on seat of big hay wagon we pulled under to obtain it. Hard work blowing the "zor more incubated set."  
64. ————— 5 13/16 to Irvington Swamp —  
64. Tree Swallow. 5 fresh in "flicker" willow. #50, 4/30% recorded. 1997 wasted in handling. To La Jeunesse.  
65. R.-S. Flicker. 3 eggs + 30/16 #51. 5 more fresh to - by 5-27% desired.  
66. Tree Swallow. 3 fresh, in oval hole where took n/a, 4/30/16.  
67. Tree Swallow. 4 partly incub. Had to use hatchet  
68. S. Song Sparrow 3 incub. begun. 1 1/2 ft. in briars.  
69. West. Goldf. 1 fresh. Had to saw Willow down.  
70. " " 5 incub. almost fresh to heavy. In dead sprouts of willow & briars.  
71. Green Heron. 35 ft. up in willow near lagoon. Didn't go up.  
72. Lin. Seal. 3 eggs. In marsh grass between flicker tree + R.R.

1916  
73. 5/14 C. B. Tit. nest torn. Young oak spp. R. J. oak east.  
74. 5/18 Cal. Partr. 1 with 8 on. ivy at a ~~state~~ <sup>in</sup> of  
Rose Ave. hatched later.

75. 5/18 Cr. Towhee. 4 small young near house.  
76. 5/20 Yellow Warbler about half done. Dazzled to  
limb of eastern oak at N. side of honeysuckle gate. 5 26  
took m3; deserted. 5 21 bird on.

77. 5/21. B. h. Grosbeak; bird on. Shown me by Humprey.  
45 ft. in upright shoot; oak across steel road from rd 1.  
Harry L. examined it with my big ladder & figured on  
getting young when he came back from weeds & realized but  
birds had gone.

78. 5/21 C. B. Tit. 10 ft up in oak S. end of barn. Empty.  
79. 5/21 2 small young. On ground in front of  
alley. Something got them before able to leave. Probab-  
ly same pair as #32.

1 5/24 10. Grizzlies with Isa. -  
80. Cliff Swallow: a few incomplete sets on barn.  
81. Bullock's Oriole; heard birds we took nest of 5 1/2 in  
but couldn't locate anything. 6/2 Harry went alone  
& reports finding it in same tree in plain view.

6/12, I found it with 1 y + 3 newly incub. eggs which I saved  
by letting ants eat them out. It was on N.E side. Harry  
had my big ladder while I got it. See #102

82. Brew. Blackbird. 2 sets & 2 or 3 nests with  
young, in giant willow.

83. Mrs. Spar. Hawk. While going home, saw, south

1916  
of creek on east side of road, a ♂ fly from "sentry" point  
in pine tree in field & catch something with which it  
did not return to point mentioned, nor did it cross  
the road behind us. There were no dead birds in the  
nest & I concluded it had a nest in one of the "sprouted"  
pines along the road. We backed up & saw a nervously  
fidgeting bird overhead. Put the ladder at the 3d tree  
counting the northernmost one & found 5 half  
hatched bird of which we took 4.

84. 5/26 West. Flycatch. 3 young. 3 ft. on outside of  
s. e. of old summer house. An elm sucker had thrust  
out a sort nail by some support & concealment for  
nest & foliage of surrounding suckers completed it.  
No young had gone found. two infertile egg. A set of 5.  
85. 5/26 B. h. Thrush 2 ft. up far out on East. oak  
west of big magnolia.

86. 5/27/6 Swainson Swamp -

86. Will. Flyaf. n/1; n/4; n/3.

87. Lam. Song Spar. n/3, slight. 2 ft. up, against willow  
bush in low briars.

88. R. b. Thrush n/3 fresh. 2 ft. up in open willow &  
briar thicket.

89. Eu. Swallow n/6 slanting hollow same as #49.

90. G. Pil. Warbler 2 nests, 1 egg each both damaged &  
deserted.

91. Tree Swallow. Pair fluttering about hole in dead

- 916 Willow stub in east side of big grove. Set it open & empty.  
97. Al. Hummer. Young gone. 3 ft. up in "part  
93. 5/28 Cal. Partr. 8 on 10 fresh. Cowpea under oak  
at pasture line, in old carrot patch.
94. 5/29 Cal. Partr. Rogers reports 21 eggs in grass at foot  
of pear tree near High St., <sup>cap</sup> hatched in vain for it. Someonely  
95. 6/3 Cal. Partr. 16 eggs. Briars cor. 72, ivy near road.
96. 6/3 " " 14" ivy west near bush on fence by road.
97. 6/4 Cal. Towhee 3 eggs smeared with yellow & verdin. Buckthorn  
98. 6/4 Cal. Screech two 3 large young, smaller upright  
narrow position on limb of oak tree. Clara the bird al.  
Hatched not far away.
99. 6/4 Or. Towhee. 2 young. 1 ft. ab. trout head by fence.
100. 6/4 " " nts, ivy end of Rose vine, <sup>pair</sup> ~~nest~~ #105
101. 6/11 Cal. " nearly hatched. Ft. 15, ivy was 3. Corolla  
6/12 '16 at 10 feet with La. —
102. Bullock's Oriole. Climbed upright ladder to nest.  
Harry found when he was alone. It was a House <sup>bird</sup> size  
with set of eggs that had found fragment <sup>of nest</sup> in nest  
in the partly constructed oriole's nest.
103. Cliff Swallow. 26 sets, mostly 3's; only a few  
4's. Some badly incubated.
104. 6/16. Cal. Partr. 13 deserted - fresh. 11<sup>th</sup> year  
on F. T. Road, from Northern most.
105. 6/18 Or. Towhee. 3d nest. 7/4 ivy end of fence
107. 6/20 Ors. Spar. Hawk 4 eggs - took 1. They pulled  
sparrow nest out of hole in yard. gas house raised some  
of the grass themselves. 6/23 took the other 3 after flushing &

1916 apparently same pair that nested on Seminary Ave.  
108. 7/8 Cal. Woodpecker. Bird in hole in  $\frac{1}{2}$  dead tree  
over stub. Oak betw. Central & S. Clara. Visited it  
next day & nothing flushed so concluded there were  
young, not eggs there at this date. It would require  
shader, ropes & cutting out to get it. Waited,  $\frac{1}{2}$  hour &  
no bird appeared.

109. 7/16 Cal. Partridge. About 16 young on back road:  
just hatched: makes about 20 broods observed in July.

110. 7/4 37<sup>th</sup> F-whee. 3 eggs.  $\frac{1}{2}$  ft up. Bears, 7d3. One in-  
fertile. Gaf. Got other 2 before they left & parents in trap.  
111. 7/2 Cal. Partridge, 16 "white" eggs. Lived along ditch  
in tar weed! near High St.

112. 4/2 Duck Hawk: addenda to #2. Fired a  
shot from La Junesas #12 when 50 yds. <sup>1st rock west of</sup> from <sup>nest</sup> nest  
rock, flushing the bird, but we did not see where she  
came from & I thought this was the rock I got previous  
set of eggs from. We used both ropes after Kelly  
called for "more". He reported some feathers in one  
of the two or three caves or pot holes suitable for a nest.  
After hauling him up I fired another shot & saw female  
fly from the rock east of us to across the canon.  
This is the first rock from Josephs. To go from the one  
we were on to the nest rock it was necessary on ac-  
count of the concave formation of this side of the canon  
to descend to the creek & detour & ascend to the east  
of the nest rock. Throwing rope over top the female  
flushed for 3d time & at no time did she or her mate

- 1916 become noisy or demonstrative. Time 6:15 p.m. Mr. lowered  
Kelly to the nest, about 35 ft. down. He kept the eggs in the  
fish basket unwrapped. Eggs were on bare sand in hot hole  
big enough for him to crawl into.
173. 4/16 W. Redtail. Stood on Road in Pine canon &  
fired shotgun at nest on west side "Gibraltar" Rock & saw  
2 young "rise" up.
174. 4/16 Lazuli Bunting? Nest of some kind, most  
likely this species; empty; back of back lawn. C. G. L.
175. 10/11 Cal. Partridge. 2 nests of stale eggs in meadow,  
found while hunting mushrooms.
176. 10/22 Cal. Towhee? Light colored material: 8 ft. up in  
poison oak edge of water course. Bolinas Ranch.
177. 10/22 Cal. Jay. Old nest. Oaks on ..
178. 11/3 R. b. Thrush on 2 crossed elm branches, each about  
1/2 inch. diam. 9 ft up east side old sum. er house.
179. 11/3 Yellow Warbler. Near top of seedling pear in yg 2.
180. 12/14 Cal. Jay. 20 ft up in Cottonwood, over acacia ave  
near Wood St.
181. Dec. Bull. Oriole. Black nest. 25 ft up in oak; east  
side of it; facing west end of "Rose Ave."

1917

1. 4/2 bal. Bush Tit. New nest: not examined. In small oak by 50's Rd. in front door.
2. 4/18 bal. nail. 3 eggs. under small oaks & in  
y S. E. cor. Rose Ave.
3. 4/22 S. F. Towhee. 4 young: on ground in  
"pu-se" weeds, S. A. Grover.
4. 6/8 S. F. Towhee ♀. 3 eggs. H. also, 1403.
5. 6/18 Bal. Towhee. Once a m'g camp. on  
the rd. id & one red. sit in lot in grain  
field. Saw it in at 1st. sat w/ ladder. he  
is about 6 ft. tall. It was a nest  
in b of the tree it was in his in 1916. The  
tree was 1/2 in. taller and this is later.
6. 5/29 S. F. Towhee. ♀. 3 eggs. about 1 1/2 ft. up in  
a small tree and seen near S. E. cor. car & p.
7. 6/3 1917. nail. 3 eggs. H. A. Grover.  
to H. A. Grover. 6/4.
8. 6/3 S. F. Towhee. 3 eggs. H. A. Grover.
9. 6/4 bal. nail. 1 egg in grain field
10. 6/10 S. F. Towhee. 3 eggs. H. A. Grover.  
in grain field. Some of old was long horse hair
11. 7/8 bal. ... H. A. Grover. "old" hair H. A. Grover
12. 9/12 Cooper Hawk. It sat 30 ft up in  
rooked naked pine close to trunk, on  
a flat on top of bushy wooded hill com-  
manding a "scoop up" of everything



1918

Kept time.

14. <sup>4/25</sup> Long-billed Marsh. In tule swamp  
at N. end of B. wills.
15. 4/25 Coal. Same. New. 8 or 9 ft. in tangled  
tules & reeds at edge of above swamp.
16. 4/25 Coal. Same. 1/2 mi. S. and across  
the stream.
17. 4/25 Coal. Same. At top N. of  
us. 5 ft. in water. 1d or 2 in  
tules & reeds on edge of swamp.  
in dry ground between tules,  
Mulefoot '13. was  
with us, & all.
18. 4/25 Coal. 1/2 mi. almost fresh. 10 in.  
in tules under high willows. 1/2 ft. high.
19. Salt Marsh <sup>4/25</sup> front. 7/14 eight. 10 or 11 in  
in tules & dead willow sticks in east side ~~at~~
20. Same. 3/4. just hatched. 7/14 very small  
& purple - tinted as we run to trees; 1 1/2 ft. in red  
tules <sup>so. of willow, fringe.</sup>  
~~1st green track, 4 p.m. shady side of red  
willow S. of 2 power line poles on R.R. track.~~
21. Same. New. about 2 feet in green tules &  
green weed; 4 p.m., shady side sickly willow S.  
of 2 power line supports on R.R. track.
22. Long-billed. 1/24, <sup>11/3 + 1</sup> imperfili eggs  
on ground.



191.

and a few at

Mr. T. & Mr. J. W. Morris, Nov.

H.O. 5/13 Same, 2/3 2' 2 ft. ovaries 7d 3  
H.L. 5/13. H. Fl. 2/4 1916 nest green sun-  
-mer over. 2 hatching, easily marked set.  
H.Y. 5/14 3.c. N. R. on. 14 cm. thick 1" cont. Th  
0. 291. had had 3 sets in it. or 4 in up now  
at total of 6 sets + worked 2 stripes.

5/15 with Harry & Ranch up sequoia Road.

43. Song sparrow. Bird slipped off nest in steep  
grassy bank of creek near wagon bridge. In grass  
& on top of some dead stems of previous year.  $\frac{2}{18}$   
44. Allen Hummer.  $\frac{2}{18}$  to Harry. Just below above, in  
blackberry. 2 ft. up & 1 ft. in.  $\frac{2}{18}$  to Harry in same spot.  
45. Bel. Jay.  $\frac{1}{4}$  fresh to Harry 25 ft. up in giant oak.  
46. F. S. Tucker.  $\frac{1}{5}$  fresh. 18 ft. up in old hole in  
dead limb of elder in circular basin where creek  
banks meet. Harry used my tongs. But very

	CYNIC
shaky. 5/19 1/5 a.m.	
47. W. Flyc. 16 others seen. Found under wagon bridge near bridge in #45.	CUTLERY
48. W. B. Tit. Old & worn. Found.	CUSTODY
5/19 with hair to 1/2 in. long. (nothing in last 2 rods)	CUSHION
49. Green. Black & white. Found 1/6 with 2 others. Found under wagon bridge. 3 of 4 birds seen.	CURRY
50. W. Wh. 1 1/2 in. long. Found	CUPOLA
51. " " " 3/4 in. long. Found	CULVERET
52. S. C. Wh. Found 3/4 in. long. Found	CULTURE
53. Boot foot. Found 1 1/2 in. long.	CUPPERET
54. Yellow. Found 1 1/2 in. long.	CUDGEL
55. Yellow. Found 1 1/2 in. long.	CUBICAL
56. Yellow. Found 1 1/2 in. long.	CRYSTAL
57. Yellow. Found 1 1/2 in. long.	CRUCIBLE
58. In. fine. 1 1/2 in. long.	CRUSADE
59. Yellow. Found 1 1/2 in. long.	CRUISE
60. 5/18 S. F. Towhee. small young. Under leaf of century plant west of org vicars.	CROWD
61. 6/19 Mail. 13 sp. now mass stands N. of W. Nellis 5/26/182 to Carriger. Near E. V. road.	CROCUS
	CRISP
	CRINCH
	CRIMSON
	CRICKET
	CRESTED
60. 5/18 S. F. Towhee. small young. Under leaf of century plant west of org vicars.	
61. 6/19 Mail. 13 sp. now mass stands N. of W. Nellis 5/26/182 to Carriger. Near E. V. road.	

191

67. 5 ac mail. 15 yrs. W. is in & W. sons.  
63. 5 1/4 S. E. side. 32 yrs. by 1/2  
~~5/25~~ with Harry to Shrub swamp. Worked everything  
except the mud part to the east.

Off. 6/16/19 3 sets to keep up

1. h. Red. Stare. 2 1/2 ft 3 ft last 20.

Color: common. bicolor rare compared to 5/19.

Plant 10-15' nose at top of mtn from rocky.

Root: about 15. fine and 1/2 round. 22 mptg.

Flowers: Hardly any.

St. 4. tips of 2 4 5 w/ 20 when Harry had  
section. He got 1 as they were back.

Flowers pale a few.

Leaves: 1 1/2 in. long 1/2 in. wide  
at tip. Dark green.

Flowers: on the wood exterior.

Leaves: dark green 1/2 in. long.

Flowers: 3 1/2 in. long.

" we opened it in N. of Hack no un-  
ripe with but root.

68. 5 1/2. 2 1/2 yr. old 9 in. & 8 in.

We have now seen: some at Holes Creek  
bluff - 10 years. About 10.

Flowers: flushed in 11 or 12 years.

69. 5/26. S. F. 100 in 48. Y. Q. Grover.

69. " Al. Hammer. This year old. 8 ft up in So.

CREEPER

CREDENCE

CREAM

CRAWL

CRAVAT

CRAFTER

CRAFT

CRADLE

COW

Cousin

COURTLY

COURT

COURAGE

36

COUNTES

COUGH

COTTATION

COSTIVE

CORRUPT

CORONA

CORDIAL

CORRELL

COPPER

CONVEX

side original wall known as.

70.3/26 Cal. Prospect. Sidewall in cut 10 ft. at  
18 ft. up is rock facing. Part of it is in old house.  
5/31, embayments forming.

71.5/26 Rail. 1' raised s. W. Cut across st. side, 6' U. fence.

73.5/29 W. Ho. New treeing on ridge out road  
slab on older overgrown edge or ~~equivalent~~<sup>old</sup>.

74.5/29 Long bar. 34' tall. Trunk at

75. " Al. Holman. " 2 to 3 ft. up, in same lot 3/15.

76. " R. S. Harker 5' est. 14' f. the corner " "

77. 6/3 W. F. L. c. building. in depression on no. l  
10 ft. up on e. prairie S. S. H. f. prairie.78. 6/3 S. F. 50' w. 30' " d. 7' f. ~~but the~~ pr.

79. 6/5 Rail. 178 ft. h. 4.

80. 6/16 Ill. H. m. 2 " " 20'. wide #69.

81. 6/24. Harker 5' est. 5' f. prairie  
during flood. 10' f. prairie. 10' f. prairie. 10' f.5' 2 ft up in lot. 10' f. prairie. Rooted &  
broken by great flood water.82. 6/30 Cal. 7' 6" f. rose a new cut 10' f. 7' 6".  
Some on old bed broken. (" " 10' f.)83. same. 3 rows in fall back with new trees  
grown up 140 ft. or more, 10' f. in 5  
rows. Great like a nest none of them as  
birds were nests went out down in all.

191

84. 7/1/18. W. W. Pease. Young not too far to How  
ard. in F. 100' from small st. orchard.  
at 100' N. of road in's. 4/14 W. Knobrid (mis.?)  
no le N. of track N. of fence 100'.  
85. 7/1/18. W. W. Pease. 7/18' N. 100' of young  
trees. 100' N. of fence.  
W. W. Pease found it to be dead up-  
to 100' N. of fence  
87. 7/1/18. W. W. Pease. Young just gone. Best N. 100'  
Pippin s. of small corn patch by plum ave.

CONVERGE

CONTINENT

CONTEXT

CONTENT

CONTACT

CONSTANT

CONSTABLE

CONSENT

CONQUEST

CONQUER

CONJUGAL

CONGRESS

CONGREGAL

CONFUSED

CONFIDENT

CONFOUND

CONFUX

CONFlict

CONFIDE

CONFESS

CONFECT

CONFIDENT

COMRADE

COMPOND

1919

1. 4/18. 5, incub. just begun. About 80 ft. up in cypress  
S.W. of tennis. Not visible from ground. L. Jim-  
merman climbed for it.

2. 4/20 Cal. Towhee 4 small young. Briars, V. Ave. Gra-  
ham something got them about a week later.

3. 4/22 B.c. N. Heron. H.W. Carriger got several sets E.  
highly incub. Mostly 3's.

4. 5/1 Pector. Men. In S.E. cor. stable, inside under  
root cellar. Not obtained without ripping.

5. 5/3 Sparrow Hawk 1/4 fresh, about 20 ft. up  
in natural nest in white oak in grain field where  
Lewis Metres are.

6. 5/3 N. Flicker 1/4 House Finch. 25 ft. up in  
willow in creek bed 3 1/2 mi. up Tassajara Rd.  
2 plain eggs, 1 broken. 2 House F. nests in the  
side of the Hawk's nest & occupied. Abandoned 4 1/2

7. 5/4. Bush Tit. n/p in "nectarine" oak. To Rowley

8. 5/4. Cal. Towhee. 12. over jacks grass. 5/8 2 eggs.

9. 5/4. B.c. N. Heron 3s. To Rowley

10. 5/4. Cal. Towhee. Lame some n/p oak N. of jd.

11. 5/4. H. Finch. 4 eggs. Pine (7 ft up) in chkn. jd.

12. 5/4. Brew. Tit. bld. n/p several with young. Same tree.

13. 5/5. C. Quail. 16 briars by tuck nest site of  
fallen oak, grain field fence. To Carriger.

14. 5/8. Cal. Towhee. 3 highly incub. 4 ft. up in briars  
in V.O. Grox.

1919

COMPOSE

COMPLEX

COMMUNE

COMMIA

COMICAT

COMFORT

COMET

COMEDIAN

COMBAT

COLUMN

COLT

COLONY

COLONEL

COLLEGE

COINAGE

COHORT

COHESION

COGENET

COCKNEY

COBBLER

COAX

COACH

CLUSTER

COLUMPK

15. 5/8 Willow Woodpecker. Young & to 10 days old. What  
4 1/2 ft. up in W. willis tree on blm. Mr. Cal. Wood-  
peckers bothering them.

16. 5/10 Cal. Towhee. Bird flushed. 25 ft. up in a tree  
E. of small catalpa.

17. 5/8 C. Quail 12 eggs. 5/9 15 eggs. by date 1918-19 est.  
among wild carrots.

18. 5/11 C. Quail 11 eggs. Under chicken roost in the  
yard.

19. 5/11 Spar. Hawk. 5 hrm. im. In hollow living stub  
oak E. of Smith's barn. 10-12 feet above ground.  
D. at any time. & always sated a station on one of  
the limbs at my approach.

20. 5/11 Cal. Scr. Bkt. Bird flushed from same oak  
but L. J. apparently overlooked the nest.

21. 5/11. Cal. Scr. Bkt. 1 addl. 1 large young. 12 k off.  
Central Av.

22. 5/12 Cal. Scr. Apparently with young. Up in  
oak N.W. cor. grain field.

23. 5/12. S.W. Towhee. 3. Nest. 1 of sides in nest  
of former containing 1.

24. 5/13. W. Fly. new. 1916 site; green arbor.  
5/23 took wif.

26. 5/18. Sp. Hawk. 1/3 to 1/4, found by Carriger  
while in quest of Lew. Woodpeckers.

27. 5/18 Sp. Hawk. Eggs down a hollow stub out of reach.  
Carriger had a hard job to make the investigation worth

1919

me advise with you.

1919.

- "6/1. S.F. Towhee n/f. East of oak fringe by V.G. Grover  
under a briar & stink weeds. CLOUD
- "6/1. C. Quail ♀ on 12 eggs. Thick briars N.E. cor. CLOSET  
V.Avr. Grover. opp. west of elder tree.
- "6/1. C. Quail. 20 eggs. <sup>thick</sup> Briars, foot of oak, V.G. Grover. CLIMATE
- "6/1. C. Quail. 17 " " " " " " CLIFFE  
about 2 ft. from above. ♀ on. CLIFFENT
- "6/14. C. Quail. 16 eggs. Briars yd 3. CLERGY
46. 6/13. W. Fly. young gone. <sup>3 1/2</sup> about 5 ft. up in gnarl of CLEFT  
cypress east of the one at gate. CLEMENCY
47. 6/14. Bluff Swallow 2 nests over west door of stable. CLATTER  
Common surreptiously poked them down. CLASSIC
48. 6/26 R. b. Thrush in briars back of winery: about CLARINET  
ready for eggs. CLARION
49. 6/26. Pil. Warb. new in syc. low branch ~~briars~~ near CLIZZEN  
above. CLIMAX
50. 10/28 Coot: in Bamberg salt pond on rear of CITADEL  
mud. 3 rotten eggs. CISTERNS
- 1. 6/22. West. Fly. old nest; in saw shed by enginehouse. CIRCUMFLEX
- 2. 7/4. Cal. Quail. 11 or 12 eggs, just hatching; CIRCLE  
under leaves of Hubbard squash. I think it was on CINNABAR  
asparagus bed.

CHURCH

1920.

1. 3/14 Gold. Eagle. Carriger & I with his boy & Russell Ede investigated Wren's tale to H. La J. There was nest on Herum ranch, in oak on side of hill canon: could look down from top of hill & see into nest. After hiking 5 or 6 miles & finding there was no canon on the ranch or anywhere else - nothing but rolling hills, nor an oak less than  $1\frac{1}{2}$  mi. in air line from Herum. This hill well wooded with rocky cliffs at its base was not investigated until Mar 28 when Carriger & Dr Groot went with me. Both times we saw Eagles & this time one lit in an oak on N.E. side of hill; the settlers call it Brushy Peak, but there was no sign of a nest. If any one can take in all the trees on this steep - comical! looked hill under it hours he is some machine. Thos. Scullion on nearest ranch don't know of any nest. Eagles certainly in this vicinity nesting
2. 3/14 G. Eagle. Carriger visited the two nests described by Rodriguez & found them abandoned.
3. 3/14 Dusty Horn. Owl 2 eggs kept by Carriger. In oak in W. Redtail nest over hill east of Rodriguez.
4. 3/14 W. Redtail 1 egg near above in white oak. Carriger with L. Zimmerman

- CHROME
- got 4 eggs, the finest marked (& long shaped) we ever  
saw, on Apr. 4.
- CHRISTEN
5. 4/4 Carriger, L. Zim. + I visited the nest up  
the road towards Lassajara & found it deserted.
- CHORUS
6. 3/28 7<sup>th</sup>. Redtail. Dr Groot climbed up rock  
but could get over far enough without ropes to  
see contents. 4/4 Carriger + L. Z. failed to  
obtain a "stairway". 4/11 Carriger, Harry low-  
ered Ede & got 2 incub. but well marked round-  
ish eggs. Nest visible from N.E. + "hung" over  
edge of an open cave. 5/9 birds absent.
- CHICK
7. 3/28. Prairie Falcon. Carriger, Dr Groot  
& I flushed bird off shelf under overhang  
of big rock 50 ft up. Could do nothing with-  
out ropes. 4/4 L. Zim. made 3 attempts  
assisted by me & Carriger but couldn't reach  
in. 4/11 Carriger & Harry hoisted Ede on  
plank from bottom. Got 4 eggs highly incub.  
5/9 birds absent.
- CHERRY
8. 3/28. Dusty Horn. owl. In cliff about  
45 ft. up, walkable: in open shelf with over-  
hang. Dr Groot said he couldn't make it,  
which is surprising for such an intrepid  
climber. 4/4 Carriger found 2 young just out.  
5/9 we got them; about able to flutter.
- CHEMIST
9. Barn owl. 3/28 nest in rocky cavity too
- CHARTER
- CHARM
- CHARIOT
- CHARADE
- CHASTITY
- CHASIN
- CHASTEN

1920

- small for human entrance & with upward slope. Another pair flushed over #6.
10. 3/28 B. O. mole 3 old nests: close together in white oak opp. almonds before coming to Scullion ranch. 5/9 one partly built.
11. 3/28. G.-b. Heron. Nests, 8 or 10, in sycamores in creek east side of road after turning to east from Niles canon road from Dublin.
12. 4/10 Cal. Jay. Harold La J. broke 1 of 5 highly incubated. in slim limb 30 ft. up in Edith's lot.
13. 4/10 B.C. N. Heron  $\frac{1}{3}$  to Harold La J. In small express on drawing room site.
14. 4/11 Screech owl. Harry La J. investigated in sycamore, Niles canon. Robbed: no eggs.
15. 3/28 Cal. Jay. 2 fresh found by Dr Groot 15 ft. up in oak on sandy flat going to rocks. 4/17 I investigated & found the 2 eggs & bunnies deserted.
16. 4/11 Buck Hawk. Pair appears robbed in Black Hills.Flushed from original nest. Carriger, La J. & Ede crossed over while I watched on opposite side of canon.
17. 4/11 W. Red tail. Nest in oak on brushy hill to south of trail leading to canon below Buck Hawk nest in Black Hills. Saw it & birds

- $\frac{1}{2}$  to  $3\frac{1}{4}$  mile in air line.
18. 4/15. B. Jay. new nest opp. pine in carrot patch.
19. 4/15. Quail. 2 cream-buff ground colored eggs. In turkey nest V. Ave. Grove. Turkey laid in this nest of 2 last year's eggs & covered them & her egg with leaves. The quail deserted.
20. 4/15. B. Oriole. 1919 nest 25 ft up in w. side of ash tree.
21. 4/17 Rowleys boys & Simpson boy, his pet. got a few B.c. H. Herons & Eng. Sparrows.
22. 4/18 Duck Hawk. With Emerson & Duce to Pine canon. Went to original rock & nothing there. From canon a revolver shot flushed pair from s. side near w. end of Castle Rock. They never screamed once & soon settled on rock again acting quietly as if been robbed.
- 4/24 to Petersens to a little past big meadow.
23. Al. Hummer up to Loaf. almost bush, in briar(vine) west side of creek.
24. G. Pil. Warbler 4 eggs. About 10 in up under low briars in willows on east bank.
25. Song Spar.  $\frac{m}{3}$  in <sup>3 ft</sup> nettle close to ground, on east bank. To Loaf.
26. Wil. Goldf.  $m/4$  to Loaf. 8 ft. up in holly. small sprigs of Elder. Formerly site of Pampas.
27. G. Pil. Warb. new. 18 in up in briars on

CHAPTER

CHAPLET

CHAPLAIN

CHAPERON

CHAPEL

CHANNEL

CHAMOIS

CHAMBER

CHASIE

CHATIN

CHAGRIN

CHASE

GESTUS

CEREMONIAL

CENTRIFUGE

CENTRAL

CLEMENT

CELTIC

CELEBRATE

CEDAR

CAVITY

CAVALRY

CAUSTIC

CATHEGORI

CATHERINE

CATHERINE

1920

- E. bank near flume of wood. 5/1 4 eggs. VISAGE CATARACT CANOPY  
 28. G. P. Warbler new. W<sup>r</sup> bank just N. of big bridge near lot of old wire netting. 5/1 2 eggs. 5/3 VIRTUE CASUAL CANON  
 Harry says 3 eggs & he got it several days later (5/3). VIPER CASTLE CANISTER  
 4/25 North of big bridge at Hayward's Creek. VILLAIN CASKEET CANOPY  
 Worked east bank as far as houses. VICTOR CASCADE CANCER  
 29. Song Spar. 2-3 in. found on 3 in willow brush used for bulkhead on W. bank. VICTORY CARVING CANARY  
 30. Hill Woodp. Several new excavations where ivy on trees begins. Also 1 of flicker. FLICKER CARRIAGE CAMP  
 VIGAR CARROT CAMP  
 31. G. P. Warbler. 2 eggs. about 8 in. off ground in low scraggly briars in open on up slope. VESPER CARE CAMP  
 CALM  
 32. Wren Tit. n/3 highly incub. 4 ft. in briars on outside of east side of east bank. VERTICAI CAROL CARNIVAL CATTLOW  
 VERSION VERMIN CARD CARNAL CATTLE  
 33. Wren Tit. new. Situation similar. Couldn't find it 5/1 & briars show some one, been here. found SONIA 6/13 CARAVAN CARE  
 CALIO  
 34. Song Sparrow. n/3. 2 ft. up on stump & ground ivy under willow in wide copse. About hatched. VENOM CAPTIVE CARAVAN CARE  
 VENISON CAPUCHIN CARNEL CAFE  
 35. Dov. sp. Sycamore, horiz. limb over water. VENDOB CAPTIVE CARNEL CAFE  
 36. No. Finch. n/ft 2 broken west bank of CAGE CAPTIVE CARNEL CAFE  
 4/30 to Stivers working eastward to end of willow where briars are making things good. CAPTIVITY CARKLE CABIN  
 VASE CANVAS CABIN  
 36. Brew. Blkhd. H, slight. 3 marked on small end. 3 more sets in same willow grove where I got set Green Heron years ago. Trees full of rotten & dead branches & mean to climb.

- near La J. the other sets. Some other nests not investigated.  
 BRITON BUXOM BOTANIZING  
 37. Shrike 3 eggs. Secured by La J. next week 7/6.  
 BUTTER BUTTER BORDER BRINK  
 38. Dove in willow to frail to go out to. Another  
     flushed from Brewer's nest.  
 BUTTER BORDER BRINK  
 39. Oriole.  $\frac{4}{5}$  / dentid 35 ft. in willow. Sawd  
     BUSH BOOTH BORDER BRIDGE  
     limb to obtain desiderata.  
 BURNISH BOOK BRIM  
 40. G. P. Warbler new. 1st birds E of tiles. La J.  
     BUNTING BONNUS BIRD  
     got  $\frac{1}{4}$  later.  
 BUNTING BONNET BRIBE  
 41. G. P. Warbler.  $\frac{1}{4}$ . 2  $\frac{3}{4}$  ft. up in briars in "re-  
     cess" rounded under willows.  
 BUMPER BOMB BREVE  
 42. G. P. Warbler. 1  $\frac{1}{4}$  ft. in outside briars.  $\frac{1}{4}$ .  
 BULLWARK BOLSTER BREVESTED  
 43. " " 2 ft. briars BRIER  
 BULRUSH BOTTLE BREAKER  
 44. Ark. Gold  $\frac{1}{4}$  ex sprouted end of horiz. limb  
     of willow. About 6 ft up. To see  
 BULLION BOSTER BRASS  
 45. Wil. Gold.  $\frac{1}{5}$ . 3  $\frac{1}{2}$  ft. up in briar. Do.  
 BUGLE BLUSH BRANDY  
 46. " "  $\frac{1}{4}$  8 ft. hollow. Do.  
 BUDGETT BUDGETT BRANCH  
 47. " "  $\frac{1}{3}$  6 ft. do.  
 BUCKET BLOOM BRACT  
 48. " "  $\frac{1}{4}$  3  $\frac{1}{4}$  ft. dead brierings  
     under willows.  
 BRUSH " CRAFTS BLOWN BOWL  
 49. " " 3  $\frac{1}{2}$  ft. briars edge of east fence  
 BROTH BLACK BOURN  
 50. "  $\frac{1}{4}$  2  $\frac{1}{2}$  ft. in briars  
 BROWN " ON HIMALAYA BOWLS  
 51. "  $\frac{1}{2}$ ,  $\frac{1}{2}$ ,  $\frac{1}{2}$ ,  $\frac{1}{2}$  old,  $\frac{1}{2}$  old.  
 BROGUE BLAST BOTANY  
 52. Al. Hummer Young gone. In briars 5 ft.  
 53. Ho. Finch. about 8 nests. None with young.  
 54. Grosbeak. Old. In willow 12 ft. (east willow)



4/4/20.

BARE

BAPTISM

BANTAM

BANGUET

BANNER

BANISTER

BANDAGE

BAMBOO

BALM

BALLOT

BALCONY

BARKING

BAKER

BAIL

BAGNIO

BADGE

BACON

BACHELOR

BABY

BABOON

BAKELITE

AWFUL

AWARD

AWAKE

AWFUL

67. Spar. Hawk. hatching: 1 out. in small hole under Prairie Falcon.

68. Spar. Hawk. 5 about fresh. 20 ft. in perpendicular cavity. White oak in low. Wood. field.

69. Spar. Hawk 4 fresh. Carriger got on fence & low outside branches of big white oak. Double entrance to cavity <sup>to 30</sup> 3 ft. up. Had to chop hole larger & eggs reached by aid of pencil. Same field.

70. Spar. Hawk. 1/2. 22 ft. 3 ft. " same field.

71. Bicolor n/p about hatched. with aid of plank. 1 ft. over water in rushes & talus. 6 ft. & 3 ft. above.

72. 5/11 S. F. Towhee n/p 1 egg 6 in from nest under briars along "trail" in clumps on grain field fence. (#81 2nd set)

73. 5/11. Quail. 13 with 2 on <sup>8</sup> ft. beyond <sup>6</sup> ft. above.

74. 5/11 S. F. Towhee n/p V.A. 9 brood on ground in briars W.S.W. of twin oak. <sup>1/4</sup> ft.

75. 5/11 B.c. N. Heron 1/3 2/3 3/3 <sup>3</sup> ft. three pairs of cypress on drawing room site.

5/16 2/3 to Harold Lea J. 3/3 hatched.

76. 5/16 W. W. Vireo. n/p rather well incub. 13 ft in turkey roost oak. to H. V. Lea J. <sup>11</sup> ft. 8 ft

77. 5/21. Cal. Jay. 5 fresh: <sup>req phase</sup> 1st when blown several days later. 10 ft. in em. oak next to leaning lemon.

- 1920.
- Living elsewhere; a cobweb on side of nest. Birds  
not in evidence until I nearly reached nest. Preceded?
78. 5/21. C. Quail 4 fresh. Briars E end. V.A. S.  
6/6 had 17 eggs.
79. 5/27. W. Robin feeding small young. About 20  
ft. up in crotch of small locust under pine near  
gate.
80. 5/27. S. F. Towhee. n/3 : 2d set of #65. Almost in  
same place but among twigs of small dead oak  
branch with dry leaves on it.
81. 5/27. S. F. Towhee. n/3 : 2d set of #71. Almost in  
same place.
82. 5/27. S. F. Towhee. n/4. Day + blackberry vines  
8. of opp. coachmans.
83. 5/27. C. Quail took 7, day old, ♀ from mongol on  
B. Vista near Versailles. Another brood about 3 or  
4 days old. end (E) of Rose Av. The earliest brood records
84. 5/31 B. h. Grosbeak. ♀ on. Very thin nest. 20 ft.  
in horiz. limb of small elm at garden gate.
- 
- 5/28 Stevers
- 
84. C. Shrike : 2 fresh. Willow near west pasture.  
6/5 took n/6 25 ft. up.
85. C. Shrike : 2 fresh. Willow,  $\frac{1}{2}$  end of above grove  
6/5 took n/5 : 20 ft up.
86. C. Shrike: small young. Willow: groove N. of  
track.

87. Brew. Blackbird: 5 nests of eggs in Green Heron  
 Grove. Several nests of young to <sup>9/6</sup>  
 vacated. <sup>ALOUD</sup>  
<sup>ALOFT</sup>  
<sup>ATMS</sup>
88. Dovr: n/p fresh: n/p able to fly & 6 others  
 (all 6 to 20 ft. up) containing eggs & young: all in <sup>1/2</sup> Green Heron Grove. <sup>ALONG</sup>  
<sup>AVARAGE</sup>
89. Dovr: \* 1 sm. young & 1 dead in shell. 6 ft. in briars  
 & willows in E end of willows & briars. <sup>1/2</sup> <sup>ALITTLE</sup>  
<sup>HVTTA</sup>
90. Dovr: Grove N. of track. n/p fresh: n/p sm.  
 young; n/p large young. <sup>88</sup> <sup>ALLEGATOR</sup>  
<sup>ALGERRA</sup>
91. H. head. Blackbird 3 n/p in 3 1/4 & 2 n/p in  
 1/3 just hatched. Several empty nests. About 30  
 in all. 2 1/2 to 4 1/4 ft. in ~~trees~~ <sup>ALDER</sup>  
<sup>ALCOVE</sup>
92. Bicol. Blackbird. 7 to 10 ft. in small willows  
 at east end. n/p n/p 2 n/p. <sup>11/8 - or 2 1/8</sup> <sup>ALBUM</sup>  
<sup>ALARM</sup> 38 nests of 2 eggs 6/5.
93. Tule Wren n/p n/p n/p n/p 8 not many sham  
 nests in proportion <sup>1/8</sup> <sup>ATK</sup>
94. Will. Goldfinch: 2 1/4 n/p n/p n/p n/p 2 1/4 <sup>ASILE</sup>  
<sup>ANGUISH</sup>
95. C. Teal 1 blue egg & shells of hatched eggs. In open  
 in small bunch of tule. Saw 7 with young day  
 to two old. <sup>86</sup> <sup>AGONE</sup>
96. Song Sparrow 2 1/3 usual situation. <sup>9/1</sup> <sup>AGOG</sup>
97. Pet. Warbler. empty-new. N. E. End, not found 6/5 <sup>AGITATE</sup>
98. " " " " W. 11/4 n/p to 1 1/2 6/5. <sup>AGILITY</sup>
99. " " n/p " <sup>AGHAST</sup> <sup>AGHAST</sup> <sup>AGHAST</sup> <sup>AGHAST</sup>  
 low briars. Nest ruined with willow blossoms.

1920

AVOW

AVENUE

AUTUMN

100. H. Finch.  $\frac{1}{4}$   $\frac{1}{3}$  & several others; also 5  $\frac{1}{4}$ .  
101. B. Phoebe.  $\frac{1}{3}$  under r.r. bridge. 6/5 vegetation cut down & nest gone.

AUTOCRAT

102. Boot. About 30 nests: all empty.  
103. Cliff Swallow  $\frac{1}{4}$ ;  $\frac{1}{2}$ ;  $\frac{1}{7} + \frac{1}{3}$ ; several empty.  
on Stivers Barn.

AUCTOR

AUDIT

AUTION

104. Barn Swallow. Harry got 2d set of 5 in barn.

AULTER

ATTICO

ATOX

ATLAS

ASYLUM

ASTHROLOGY

ASHES

ARTLESS

ARTIST

ARTY

ARSON

ARMADA

AROMA

ARMY

ARTIFEX

ARTIST

ARTLESS

ARTY

- ted briars intermingled with a few dead willow  
twigs in 1st clump E of N. end of Stevens pas-  
ture. (a). caught 8 on mfr in horiz. willow  
limb about  $\frac{1}{2}$  way through copse near S. side.  
~~206~~ 3 other nests of eggs noted.
- 114 Dov.  $n/2$  about fresh. Spt. up on trunk of  
willow & partly broken off limb. N. of track.
115. Dov.  $n/2$  15 ft up on horiz. semi decayed  
limb. N. of track.
116. Dov. Several other nests in this grove.
117. Pil. Warbler. new. opp. bears on fence  
(west of) at east end.
118. Song Sparrow.  $n/3$  to L. 28 $\frac{1}{2}$  ft. in big bear  
clump.
119. R. b. Thrush.  $n/3$  in big clump east of  
pasture.
120. R. b. Thrush  $n/4$  remained heavily with  
willow blossoms. in east end of above clump.
121. R. b. Thrush.  $n/4$  in few briars & clusters  
of willow stalks: the whole a radius of 8 ft.  
2 $\frac{3}{4}$  ft. up.
122. R. b. Thrush  $n/3$ . 7 $\frac{1}{4}$  ft. in thin willow a-  
bout 1 $\frac{1}{4}$  in. thick & supported on one side by a  
twig. In new growth devoid of briars near tree  
several willows.
123. R. b. Thrush. N. of track. 5 $\frac{1}{2}$  ft up in inter-  
secting dead branches & brush of several big crooked  
trees & devoid of leaves.  $n/4$  Cow hair dead.

1970

124. R.b. Thrush. 1 egg & 2 eggs. In willows & briars near east end of big copse E of tules.
125. Bicolor B.b. 9 nests in willows near east end & close to track.
126. Yellowhead. B.b. Out of the nests found 5/28 only about  $\frac{1}{2}$  remained. One had dried up very small young: another dead young plus one able to flutter: another had "egg" matted to bottom <sup>any</sup> the others empty. Water dried up every where.
127. Mallard. Nest of dead tules in a bunch of tules about 1 $\frac{1}{2}$  ft. diam. Eggs sucked.
128. Tule Wren. On 5 about 4 $\frac{3}{4}$  ft. in tules.
129. " " two nests of 2 each. One of these was inclined laterally as were its tules: the evident depredation of some rodent.
130. Willow Goldf. 3 nests of 4 rather incubated. In typical briar & willow situations except nest in clean willows 4 ft. up. One of the above found 5/28 with 2 eggs.
131. Willow Goldf. knee high in scant dead, leafless, upright weeds under shade of willow. The most unusual situation I ever noted. Contained 8 young. In open view.
132. Willow Goldf. 3 ft. up in briar clump in Wren Jet situation.
133. B.h. Grosbeak. 2/3 to 1  $\frac{1}{2}$  ft. 9 ft in small

branches of 2 willows. One of n/3 to Goo J. 8 ft.  
in willow.

134 6/6 W. Robin. New nest 10-12 ft. in locust  
an Eng. Sparrow n/p 10 ft above in crotch.  
No eggs ever laid in it.

6/6 see spec of Eng. Sparrow  
135. 6/6 S. F. Towhee. Empty. on ground under  
trailing willow limb & against  $\frac{1}{2}$  a brick. No  
vegetation expt. dry leaves & twigs, on ground.

136. 6/6 B.c. N. Heron took n/6. Cypress  
(original) near gate. Eggs cold.

137. 6/7 Same. set b set c set d  
set e set f. In cypresses E of  
catalpa.

138. 6/7. W. Robin 3 rather large young. 30 to  
35 ft. in centre of locust, <sup>in triple crotch (6 in rock)</sup> near above.

139. 6/7. W. Robin 1 egg 15 ft in locust  
6/13 took n/p (recent) with H.W.C.

140. 6/10 Cal. Towhee. 3 fresh. 2  $\frac{1}{2}$  ft. briars in  
back field close to grape vine. To H.W.C. 6/13  
a fine nest heavily lined with dark hair.

141. 6/10 Cal. Towhee. 4 small young. 3  $\frac{1}{2}$  ft., in  
briars N. of bowl. alley.

142. 6/10. Quail. 12 eggs (one white). In rather open  
briars S. side of V.A. Grove. 13 on 6/17  $\frac{2}{13}$   
 $\frac{2}{20}$ .

143. 6/10/20 with Carriger to Bell's Sparrow Hills  
found about 8 empty nests, plus about 4 last  
years. Most of them appear to be newly built.  
All of same construction & material. Most

all were 5 in. off ground in green bush with white blossom. One other contained 3 young that fluttered out. I secured 2 of them & the parents. The brooding bird slipped to the ground unseen by me & fledged when I was about 5 ft. from the nest. Another held 3 young a day or two old. All in open, rocky & sunny situations on bleak hill & not in swale or gullies. The song is faint, short & pleasing & ~~sounds~~ no chirp was heard. Parents nervously alighting from bush to bush when we were near the young. Another nests contained 2 fresh eggs.

144. Rufous-crown Sparrow. On ground under bush like those used by Kille's. Material similar. Barriger found one here last year with 2 eggs. Empty 6/19.

145. Wren Tit. The finest new nest I ever saw with exquisite rim work. In similar kind of bush to Kille's Sparrow. Took it 6/19 after noticing young had gone esp "dandruff" in bottom.

146. Cat-towhee. 3 small young & one old nest close by. 2 1/2 ft. in similar bush to Kille's Sparrow & rest. material similar but nests very small & neat.

147. Oriole. In oak s. of barn road at Brajib.

148. B. Swallow. Colony on " " "

149. 6/13 Yellow Warbler. 4 highly incubated. About 9 ft. up in prime tree in goose yard.

150. 6/13 Quail ♀ on 13 grass & lat weed, S.W. cor. meadow. To H.W.C.

151. 6/13 Lark. Young gone: about 150 yds. N.E of above.

1920

157. 6/13 Zerait 1 egg. Under fallen apple? it  
of fall pippin. Found by H.W.B.

158. "Hayward's Creek with H.W. Barriger

153. House Finch. 4 deserted. in briars &  
willows. Brownish spots. Nest not saved.

154. Ho. Finch. 5 deserted. Briars & willows

155. Ho. Finch. About 10 with young or young  
gone & about 30 not investigated. One in open  
view at edge of creek bank in small tip of small  
sprouted willow.

156. Willow Goldfinch  $\frac{1}{4}$  by H.W.B. 7 ft. up.  
in pear. Orchard E of creek, S. of big bridge.

157. Willow Goldfinch. 2 fresh. In same set  
situation in briars, E bank near W. end of  
#156. Another on W. bank S. of big bridge  
with 3 or 4 small young.

158. Song Sparrow. 3 "brown" types: 1 nest,  
nest large & foundation of long stems (1 ft.).  
1 ft. off ground on dry grassy level near  
#156, in some dead weed stems & in open view.

159. R. b. Thrush, fair sized young. In  
willows & briars 20 ft over creek at steep bank  
(East) close to big bridge. Another on E bank  
with young further up.

160. R. b. Thrush 3 incomplete sets on wet  
bank S. of big bridge up to  $\frac{1}{2}$  ft.

160) 3 days later the  $\frac{1}{2}$  ft had hole in bottom &  
shells on ground.

161. Al. Hummer up heavy: in fence  
briars E. bank N. of big bridge.
162. Pil. Warbler 3 fresh in briars & worn  
wood fallen over it, near new bridge being  
made N. of big bridge. on E bank. Took n/3 6/16
163. Pil. Warbler 3 fresh. Briars opp. 1st.  
bridgehead S. of big bridge. Took n/3 6/16.
164. Pil. Warbler  $\frac{1}{2}$  complete 7 ft up in  
briars & nettles under willows on w. bank  
before arriving southerly to #163. I call it  
a Thrush Grouse & so not. 6/16 it held  
1 Thrush egg. 6/16 dented & about hatched
165. Grosbeak 1  $\frac{1}{2}$  gal. Cottonwood sapling & long  
stalk of funnel. W. bank. 2 other nests  
1 misty & 1 sier - like.
166. Wi Flycatcher large young. 15 ft. up  
against willow, supported by a crooked up-  
ward sprout that was dead owing to a break  
along this part of tree.
167. Al. Hummer. Young gone. Low down  
in briars in front of #164. Two others with  
young not ready to leave. Cottonwoods W. bank
- 168-169. R. b. Thrush. 2 full sets of 3 each  
to H. W. C. on W. bank
170. Pil. Warbler flutterers. Close to creek  
on w. bank
171. H. W. V. 20 ft in cottonwood. Inaccessible  
over creek at end of route.

6/16/1920

172. R.b. Thrush ex #160. Took n/f 3, 10 ft. up in cottonwood on bank. To Carriger.
173. R.b. Thrush ex #160. Took n/f 3, 12 ft. up in elders on bank. To Carriger.
174. Traill Flycatcher. n/f 3 5 ft up in several vertical briars: about 5 ft. over sloping bank.
175. Willow Goldfinch 2 nests small young & 1 new. All in briars under willows.
176. Song Sparrow. n/f 3: cold. Artfully concealed in briar & weed on edge of bank, 2 1/2 ft. up.
177. Al. Hummer. 2 vacated by a 3d with broken egg shells that appeared to have been drained by some bird or animal.
178. Cal. Towhee, new, on creek side of E. bank near So. end of route. 10 ft over creek bed in briar & willow.

- 
- 6/19/20 on Bell Sparrow hills with Carriger p.m.
179. Bell Sparrow. Last year's. In wonderfully fine state of preservation. Required close examination to ascertain it was not this year's.
180. Bell Sparrow. n/f 3 just hatched.
181. C.B. Tit. in small oak: been rifled.
182. R.S. Flicker. Old nest in top of vertical stump of oak; about 4 ft. from ground.
- 

183. 6/29 Traill. 13 eggs in grass (unplowed orchard) under trailing branch of astrachan.
184. 7/3 Cal. Towhee. 3 eggs. About 8 ft. up in buckthorn.

185. 7/18 Quail ♀ on 10 fresh. Brears in  
7d3. To Carriger.
186. 9/25 Cal. Towhee. This year nests: one
187. in big vicar by apricots, 1000' plum Ave.  
in a beurre.

6/6/1920 daily memo. book this date has:-  
Gal. Quail n/y  
Mr. Robin n/young  
B- C. N. Heron n/3, n/y & took 3 young  
I do not find this entries in this book on that date.  
They can not trace them unless the sets are dated or  
are marked in sequence.

